

AD-A120 534


CURRENT PLATE MOTIONS BASED ON DOPPLER SATELLITE  
OBSERVATIONS(U)-NAVAL SURFACE WEAPONS CENTER DAHLGREN  
VA R J ANDERLE ET AL. SEP 82 NSWC/TR-82-369


1/2

UNCLASSIFIED

F/G 22/3

NL





MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A



## UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NSWC TR 82-369	2. GOVT ACCESSION NO. AD-A120534	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CURRENT PLATE MOTIONS BASED ON DOPPLER SATELLITE OBSERVATIONS		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) R. J. Anderle and C. A. Malyevac		8. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Surface Weapons Center Dahlgren, Virginia 22448		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NIF
11. CONTROLLING OFFICE NAME AND ADDRESS Defense Mapping Agency Headquarters Washington, D. C. 20305		12. REPORT DATE September 1982
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 102
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		16a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Plate Motion Tectonics Geodesy Satellite Geodesy Doppler Satellite		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) About 25 percent of the Doppler observations made on a Navy Navigation Satellite over a ten year period were analyzed to determine the motion of 10 sites on the North American plate and 13 sites on 7 other plates. The computed plate motions were not statistically significant compared with the standard errors of measurement of 1 to 5 cm/yr except for the Australian plate and Pacific plate. The measured motions of these plates are about twice those inferred from geologic records, but are in the proper direction. The Doppler derived 4 cm/yr northward motion of the African plate is		

**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20.

marginally significant; this value is also twice that inferred from geologic records, but the discrepancy is not statistically significant.

Processing of the balance of the data on one satellite over the 10 year time interval would improve the accuracy of the determination by about a factor of two, improving the possibility of detecting additional statistically significant motions.

Unreasonable altitude changes at most sites are probably due to neglected higher order ionospheric refraction effects on the observations.

DTIC  
COPY REQUESTED


Accession For	
NTIS GRA&I	
DTIC TAB	
Unannounced	
Classification	
By	
Distribution/	
Availability Codes	
Print	and/or
Dirt	Special
A	

**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

## CONTENTS

	<u>Page</u>
INTRODUCTION . . . . .	1
SYSTEM CHANCES . . . . .	1
COMPUTATIONAL PROCEDURES . . . . .	2
RESULTS . . . . .	6
PROSPECTS FOR THE FUTURE . . . . .	12
REFERENCES . . . . .	13
APPENDIX A--GRAPHS OF STATION COORDINATE CORRECTIONS . . . . .	A-1
APPENDIX B--SOLUTIONS FOR MEAN COORDINATES . . . . .	B-1
APPENDIX C--RATES OF CHANGE OF STATION COORDINATES . . . . .	C-1
APPENDIX D--RESIDUALS OF FIT . . . . .	D-1
APPENDIX E--INTRA-PLATE RELATIVE MOTIONS . . . . .	E-1
APPENDIX F--INTER-PLATE RELATIVE MOTIONS . . . . .	F-1
DISTRIBUTION . . . . .	(1)



## INTRODUCTION

Daily Doppler observations of Navy Navigation Satellites are made by about 20 receivers operated by the Naval Astronautics Group ("OPNET" Stations), the Defense Mapping Agency ("TRANET" Stations) and cooperating international observations. The Naval Astronautics Group uses the observations made by its four receivers to compute the "broadcast ephemeris" which is injected in the satellite memory, transmitted in real time, and used for navigation and some geodetic applications. The Defense Mapping Agency uses the observations made by the entire station network to determine a "precise ephemeris" used in non-real time calculations of geodetic positions of portable receivers. Periodically, the base station network composed of the 20 receivers discussed above is supplemented by 10 to 15 portable receivers deployed primarily to obtain additional data on geodetic satellites such as the GEOS-3 or SEASAT-1 altimetry satellites. During these periods, one or two Navy Navigation Satellites are also observed by the portable equipment in order to calibrate their clocks and determine the receiver positions. On these occasions, the precise ephemerides are computed on the basis of the observations of the expanded station network.

The Naval Surface Weapons Center routinely computes the positions of the receivers in the base or expanded station network using the observations made on one Navy Navigation Satellite in order to monitor the stability of the coordinate system established by the precise ephemerides. Previous reports (Malyevac and Anderle, 1978) showed that the results of these computations were close to the precision required for plate tectonic studies, but that systematic errors existed in the results. A series of changes in operational and computational procedures was listed which could reduce the systematic errors. This report gives the results obtained after implementing some of the procedures.

## SYSTEM CHANGES

The data discussed in this report were observed during the period 1973-1982. During this period, no significant changes were made in the force field used in the ephemeris computations and no intentional changes were made in the station coordinate system. When stations were added or antenna locations changed, the normal procedure is to compute a set of coordinates for the site which is consistent with the ephemeris. This procedure should maintain the consistency of the coordinate system defined by the ephemeris. One change made during this interval could have disturbed the coordinate system. In August, 1978, the coordinates of each station for each pass were added as parameters of the solution with a weight for the a-priori coordinates corresponding to an uncertainty of 1 m in each coordinate. The intention of this change was to recognize the error in the ephemeris due to force model errors so that observations with small standard errors will not overwhelm those which have errors which are somewhat larger, but still less than those corresponding to the ephemeris error. However, the effect of the change also tends to equalize any differences in strength of data which might exist in observing systems

such as portable equipment compared to base stations or TRANET stations versus OPNET stations. No significant change in the coordinate system was noted in tests conducted prior to the installation of the change, but subtle differences could have escaped detection.

Forty of the sites occupied during the period considered and for which results are given in this report are listed by plate and in numerical order in Table 1. The satellite subtracks observed by these sites at elevation angles above 10 degrees are shown in figure 1. The sites with five digit station numbers as well as station 127 in Shemya observed only intermittently during the latter portion of the time period covered. Although the results for these sites are not currently useful for crustal or plate tectonic studies due to the shorter occupation period, the combination of this data with data obtained in the future may produce useful results. In addition, other sites were occupied in Shemya and Sicily early in the period. If the terrestrial connections between the old and the new sites can be located, the results for these sites may be useful sooner. Although only limited data early in the time period are available for stations 195 (Palmer) and 196 (Casey) on the Antarctic continent, the data were processed in the event that survey markers at these important sites can be recovered and reoccupied in the future. The remaining 23 sites, which include 10 sites on the North American plate and 13 sites distributed among seven other plates provided data which is precise enough to determine useful bounds on plate motions, if systematic errors are not excessive. Three of the sites started operation somewhat after the beginning of the period considered in this report: Ottawa started in 1974, Florence in 1975 and Calgary also in 1975. Antennas at seven of the sites were moved during the time period. The changes in antenna locations in England in 1976, and from Maryland to Virginia in 1976 were large enough so that uncertainties in terrestrial connections could affect the accuracy of the results. The antenna changes in New Mexico in 1976, Alaska in 1976, Greenland in 1977, Ottawa in 1976 and Calgary in 1979 were small enough so that the accuracy of the results would not be affected if terrestrial connections between the old and new sites were made properly and if the ground plane effects on the signal are the same at the two sites. Of these five small changes, there is no evidence of difficulty in the survey records other than an uncertainty in an azimuth in Alaska which leads to an uncertainty in the East-West (actually 70° East of North) direction.

#### COMPUTATIONAL PROCEDURES

Satellite ephemerides were computed by the Defense Mapping Agency Hydrographic/Topographic Center at two day intervals and provided to the Naval Surface Weapons Center along with the pre-processed, filtered observations used in the computations. The parameters of the orbit fit included six constants of orbit integration, either one or two drag scaling factors depending on the level of solar activity, and the components of pole position for each orbit fit, and a frequency and tropospheric refraction scale parameter (with 10% uncertainty assigned to a-priori refraction) for each satellite pass over each station. Starting in August 1978, the coordinates of the station

TABLE 1. DOPPLER SITES OCCUPIED 1973-1982

PLATE INDEX	PLATE
1	NO AMERICA
2	SO AMERICA
3	PACIFIC
4	EURASIAN
5	PHILIPPINE
6	AUSTRALIAN
7	ANTARCTIC
8	AFRICAN
9	ARABIAN
10	NAZCA
STATIONS ON NO AMERICA PLATE	
107	VIRGINIA
113	NEW MEXICO
192	TEXAS
310	MAINE
320	MINNESOTA
330	CALIFORNIA
31061	AUSTIN, TX.
128	OTTAWA
125	CALGARY
114	ALASKA
116	GREENLAND
127	SHENYA
31039	CANAD. BAY
20286	KINGMAN
197	SHENYA
31265	GARD.C., TX
31266	MICH.F., TX
31267	RAP.C., SD
52116	UKIAM
31268	SIOUX C.IA
30642	VIRGINIA
26	OTTAWA
111	MARYLAND
351	PR. PATRICK
352	CANAD. BAY
30967	BERMUDA
STATIONS ON SO AMERICA PLATE	
6	BRAZIL
30121	QUITO
30122	ASUNSION
30200	SANTIAGO
STATIONS ON PACIFIC PLATE	
348	HAWAII
24	SAMOA
30180	HAWAII
30212	KIDNEY
30214	KHAJELIEIN
30969	TANITI
STATIONS ON EURASIAN PLATE	
27	JAPAN
30140	CYPRUS
30800	BANGKOK
20264	CATANIA
116	ENGLAND
21	BELGIUM
661	ITALY
356	CATANIA
13	MISANA
16	ENGLAND
30966	AZORES
STATIONS ON PHILIPPINE PLATE	
23	GUAM
22	PHILIPPINES
STATIONS ON AUSTRALIAN PLATE	
112	AUSTRALIA
30939	CHAGOS
30793	TONNSVILLE
30966	PERTH
STATIONS ON ANTARCTIC PLATE	
19	MCHURDO
195	PALMER
196	CASEY
30448	MAPIER
STATIONS ON AFRICAN PLATE	
10066	ASCENSION
20	SEYCHELLES
30126	KINSHASA
30123	ST HELENA
105	SO AFRICA
30970	CANARY
STATIONS ON ARABIAN PLATE	
31814	BAHRAIN
STATIONS ON NAZCA PLATE	
30730	EASTER




FIGURE 1. 10 DEGREE VISIBILITY CIRCLES AT DOPPLER SITES

for each pass of the satellite over each station were considered parameters of the solution with a one meter uncertainty assigned to the a-priori coordinate components. The coordinates of newly occupied stations were considered parameters of the solution until accurate coordinates could be computed.

These ephemerides and observations were used by the Naval Surface Weapons Center to compute the coordinates of the stations for time spans of observation of either five or thirteen days. The parameters of each solution included, in addition to the coordinates, a tropospheric refraction scaling factor, a frequency bias, and translation parameters for the satellite ephemeris for each pass of the satellite over each station. The a-priori refraction was assigned an uncertainty of 10% and the a-priori ephemeris components were assigned an uncertainty of one meter. A linear fit was made to the solutions for the coordinates of each station over the ten year time period, and solutions were rejected which differed from the line by more than 2.5 times the standard deviation of the fit. In addition to the linear fits to the data from each station, mean coordinates for each site were computed from the filtered solutions, and mean relative coordinates and linear fits to relative solutions for each pair of stations were computed on the basis of filtered solutions for common times. The fits were made considering equal weights for each solution and also using weights corresponding to the number of passes in each solution in order to represent the statistical strength of the thirteen day fits relative to the five day fits.

The computational procedures used in the analysis discussed in this report differed from those in a previous report (Anderle and Malyevac, 1978) in the following ways:

1. More recent data are included in the current report. The more recent data reduced the effect of antenna changes somewhat since a longer time span of data are now available with the most recent location. However, ionospheric effects are more severe in recent periods affecting the observations directly due to neglected third order ionospheric effects and indirectly in their effects on the atmospheric drag on the satellite.

2. Refraction scaling factor was considered for all data discussed in this report.

3. The orbit was considered exact in previous analysis but was assigned a one meter uncertainty in solutions discussed in this report. A study (Anderle, 1982) indicated the orbit relaxation improved the consistency of solutions somewhat even when the orbit uncertainty is independent for each pass over each station.

4. In this report the changes in relative station positions were computed from data observed concurrently by each station pair as well as from the total set of data observed by each station.

## RESULTS

Graphs of the corrections to the nominal coordinates for each five or thirteen day set of data are given in Appendix A for each station. The source of the periodic variations in station heights has not been identified. The average increase in height may be due to increasing levels of solar activity which increase neglected third order ionospheric effects. The mean solutions are given in Table 2. Mean solutions for relative coordinates and the constants for the linear fits to relative coordinates are given in Appendix B. The rates of change of relative coordinates and the standard error of these rates are given in Appendix C while the residuals of fits for the constant fits and the linear fits are given in Appendix D. The relative rates and standard errors for those solutions where the standard errors are less than 10 cm/yr are summarized by datum in Appendix E for intra-datum relative motions of stations and in Appendix F for inter-datum motions.

The rates of change of latitude and longitude and the standard errors of those rates corresponding to the residuals of the linear fits are given in Table 3 for the 23 stations which provided the most data. The absolute rates are given in the left half of the table while the rates relative to Texas are given in the right half of the table. Texas was chosen as a reference because it was the only site in North America for which data were taken at only one antenna site throughout the ten year span considered. The relative motions are also shown in figure 2. The mean rates for each plate based on the Doppler satellite solution and based on the AM2 fit to geologic data by Minster and Jordan (1978) are given in Table 4, while the relative geologic rates are shown in figure 3. Although the signs of the average Doppler and geologic absolute motions happen to agree, the average Doppler absolute longitude rates should be zero for some data weighting because of a lack of absolute longitude reference. The strong tendency for negative rates indicates a gradual shift in the reference system due to antenna changes or some still undetected inconsistency between the satellite orbit computation and the station coordinate computation. (As mentioned earlier, the change in orbit computation procedure in August 1978 could conceivably introduce a reference system change.) It is therefore probably more meaningful to compare the rates relative to some plate, such as North America, as shown in the lower part of the Table.

The lower part of Table 4 shows that, relative to the North American plate, the Doppler derived motions of the Pacific plate in longitude, of the European plate in longitude and of the Australian plate in latitude are highly significant compared to the standard error of the solution. The latitude rate of the African plate is marginally significant. Considering the 1-5 cm/yr standard errors of the Doppler determinations, none of the components are significantly different from the geologic determinations except for the high latitude rate obtained for the Australian plate. However, all four statistically significant Doppler motions are about twice the geologic motions.

Although the Doppler satellite motions and geologic motions were determined for different time periods and different geographic positions, the higher Doppler rates could easily be due to either statistical variations or

TABLE 2. SOLUTIONS FOR MEAN STATION COORDINATES

STA NC PLATE LOCATION	INITIAL COORDINATES (DEG.E.)	LONGITUDE (DEG.E.)	LATITUDE (DEG.N.)	HEIGHT (KM)	CORRECTIONS			CORRECTED COORDINATES (DEG.E.)		
					LNG (M)	LAT (M)	HT (M)	LONGITUDE (DEG.E.)	LATITUDE (DEG.N.)	HEIGHT (KM)
1 8 BRAZIL	-45.8697970	-23.2175900	-60770	-32	.22	.79	-45.8696017	-23.2175880	.60849	
2 19 MCHURDO	166.6737930	-77.8476870	-01540	-40	.82	-2.8	166.6737580	-77.8476868	-.01568	
3 21 BELGIUM	4.35863340	50.7956810	.15060	-37	.16	.98	4.3586288	50.7956824	.15158	
4 23 GUAM	144.6343100	13.4397180	.08708	.23	-.01	1.61	144.6343121	13.4397179	.08861	
5 24 SAMOA	-170.7160480	-14.3292798	.04150	-32	.29	.88	-170.7160509	-14.3292816	.04238	
6 112 AUSTRALIA	138.6545610	-34.6739650	.03270	.20	.68	.60	138.6545632	-34.6739571	.03330	
7 113 NEW MEXICO	-106.7541090	32.2707530	1.17521	.41	-.09	-.23	-106.7541047	32.2707522	1.17498	
8 114 ALASKA	-149.8252000	61.2834040	.06970	.66	.05	.27	-149.8251986	61.2834044	.06997	
9 116 GREENLAND	-68.7509090	76.5357640	.06150	.60	.60	.80	-68.7508999	76.5357693	.06230	
10 192 TEXAS	-97.7256170	30.3835240	.21050	-.61	.02	1.07	-97.7256254	30.3835242	.21157	
11 310 MAINE	-68.0124860	44.4044510	-.00920	-.01	-.48	.61	-68.0124861	44.4044467	-.00859	
12 320 MINNESOTA	-93.0794980	44.7308890	.26210	.41	.31	.53	-93.0794928	44.7308918	.26264	
13 330 CALIFORNIA	-119.0622710	36.1084360	.41750	.69	.15	1.66	-119.0622700	36.1084373	.41916	
14 340 HAWAII	-157.9951540	26.5220740	.40980	-.60	-.42	2.08	-157.9951598	26.5220703	.41889	
15 20 SEYCHELLES	55.4793670	-4.6706370	.56850	-.63	-.16	.41	55.4793613	-4.6706384	.54891	
16 22 PHILIPPINES	120.0723000	14.9878630	.05160	.40	.01	.48	120.0723037	14.9878630	.05208	
17 105 SO AFRICA	26.3747560	-4.68560	1.60331	-.23	.11	.15	28.3747537	-25.9465550	.16346	
18 195 PALMER	-64.0543480	-64.7743830	.02370	-.20	.52	5.50	-64.0543943	-64.7743783	.02920	
19 196 CASEY	110.5373060	-66.2789500	.00260	-.55	-.140	1.36	110.5372937	-66.2789633	.00396	
20 27 JAPAN	141.1331120	39.1351880	.11650	-.26	-.69	1.44	141.1331090	39.1351816	.11791	
21 128 UTTAWA	-75.9190110	45.3998750	.04280	-.26	.29	1.47	-75.9190143	45.3998776	.04133	
22 641 ITALY	11.2307500	43.8037790	.13980	-.00	-.07	.56	11.2307508	43.8037783	.14036	
23 125 CALGARY	-114.2935420	50.8710070	1.24468	-.139	-.66	.96	-114.2935617	50.8710011	.124564	
24 1068 ASCENSION	-14.4023060	-7.9078978	.04037	.78	.41	.27	-14.4022989	-7.9078933	.04064	
25 30121 QUITO	-78.4203040	-.977940	2.70639	-.32	.16	.27	-78.4203069	-.977924	.270666	
26 30122 ASUNSION	-57.6131660	-25.3007076	.19180	.26	.67	-.67	-57.6131634	-25.3007010	.19113	
27 30130 CYPRUS	33.7304574	35.0017350	.12064	.02	-.22	.76	33.7304572	35.0017330	.12140	
28 30186 HAWAII	-157.9989760	21.3145420	.01306	.39	-.50	1.11	-157.9989722	21.3145375	.01416	
29 30280 SANTIAGO	-70.8526220	-33.6240030	.45577	-.41	-.03	-.30	-70.8526264	-33.6240032	.44547	
30 30800 BANGKOK	100.5945070	13.7925580	-.01990	-.19	.55	1.25	100.5945052	13.7925629	-.01065	
31 20284 CATANIA	14.9375340	37.4056800	.05593	-.08	-.40	.42	14.9375331	37.40568764	.05635	
32 30939 CHAGOS	72.3763290	-7.2635780	-.06376	1.49	-.51	1.32	72.3763425	-7.2635626	-.06244	
33 30126 KINSHASA	15.2549310	-4.3704660	.45102	.35	.06	-.58	15.2549041	-4.3704855	.45044	
34 30123 ST HELENA	-57.7168220	-15.9430960	.5877	1.66	1.08	.50	-57.7168065	-15.9430863	.59927	
35 127 SHENYANG	174.1036160	52.7283234	.06560	-.77	-.05	.97	174.1036066	52.7283082	.06657	
36 167 VIRGINIA	-77.3133890	34.9953640	.07920	1.00	1.43	-.30	-77.3133774	34.9953768	.07890	
37 116 ENGLAND	-1.3614860	51.1045660	.11040	.64	.12	-.21	-1.3614769	51.1045671	.11019	
38 31061 AUSTIN, TX.	-97.7256660	30.3836330	.21088	1.16	-.97	-.93	-97.7256339	30.3836243	.20995	
39 31039 CAMBODIA	-105.1211590	69.1176070	-.00206	.64	-.97	1.26	-105.1211579	69.1177983	-.00000	
40 31314 BAHRAIN	50.6038660	26.2095920	-.02025	1.24	.05	.10	50.6038984	26.2095925	-.02015	
DUFFLECK HAVSAT SOLUTION										

WITH RESPECT TO ELLIPSOID HAVING  
FLATTENING=1/298.25  
SEMI MAJOR AXIS=6378145M

TABLE 3. COMPARISON OF ABSOLUTE AND  
RELATIVE RATES (CM/YR)

	ABSOLUTE				RELATIVE TO TEXAS			
	RATES		STD	ERR	RATES		STD	ERR
	LONG	LAT	LONG	LAT	LONG	LAT	LONG	LAT
<b>NORTH AMERICA</b>								
Virginia	-3.3	-3.8	6.1	4.8	11.9	5.2	12.2	8.1
New Mexico	-0.2	1.7	1.3	1.1	6.5	-4.5	3.1	2.4
Alaska	-6.3	-9.4	1.5	1.3	-1.5	-15.5	3.3	2.6
Greenland	10.2	6.6	3.1	2.8	16.8	-0.3	4.7	4.3
Texas	-4.5	7.5	3.0	2.1	--	--	--	--
Maine	-4.6	-2.2	2.0	1.3	3.7	-8.8	3.5	2.7
Minnesota	-9.5	4.9	1.9	1.3	-3.4	-1.1	3.3	2.5
California	-7.4	7.1	1.6	1.2	-2.1	0.4	3.2	2.4
Ottawa	-7.0	8.9	5.2	4.5	-13.1	-0.4	7.7	5.9
Calgary	-37.4	-5.3	5.6	3.2	-41.6	-7.8	9.5	6.6
<b>EURASIA</b>								
Belgium	1.0	2.5	1.6	1.2	5.9	-4.9	3.6	2.3
Japan	-2.9	-7.3	2.7	2.3	-4.7	-16.1	4.4	3.5
England	6.3	-10.9	8.3	6.1	11.8	-15.1	15.0	9.6
Italy	22.4	6.9	5.1	4.0	3.4	-12.1	7.7	5.4
<b>AFRICA</b>								
S. Africa	-0.4	9.1	1.5	1.5	8.1	1.9	3.6	2.9
Seychelles	-8.2	-4.1	3.7	2.6	9.2	-14.9	6.4	4.7
<b>PACIFIC</b>								
Samoa	-18.3	7.6	3.2	2.3	-11.5	2.6	4.3	3.4
Hawaii	-13.7	-1.9	2.5	1.7	-6.3	-7.9	3.2	3.0
<b>PHILIPPINE</b>								
Philippines	0.9	-1.6	2.5	2.3	13.9	-5.5	5.0	4.8
Guam	-8.5	0.3	2.6	2.0	-4.0	-4.9	4.1	3.2
<b>AUSTRALIA</b>								
Adelaide	-5.5	17.0	1.5	1.6	1.0	10.7	3.3	2.4
<b>ANTARCTICA</b>								
McMurdo	-1.3	0.7	4.1	4.1	10.5	-5.3	5.9	5.8
<b>SOUTH AFRICA</b>								
Brazil	-4.1	4.0	2.8	1.9	0.5	-1.9	4.7	3.1




FIGURE 2. ABSOLUTE PLATE MOTIONS (CM/YR)

TABLE 4. PLATE MOTIONS (CM/YR)

PLATE	NO. SITES	ABSOLUTE MOTIONS				GEOLOGIC RATES			
		DOPPLER SATELLITE		STD	ERR	LONG		LONG	LAT
		RATES	LAT			LONG	LAT		
NO. AMERICAN	10	-4.7	1.2	0.7	0.5			-2.1	-1.1
SO. AMERICAN	1	-4.1	4.0	2.8	1.9			-3.0	-0.4
PACIFIC	3	-14.7	2.3	1.9	1.3			-8.8	5.0
EURASIAN	6	1.5	0.8	1.2	0.9			-0.1	0.2
PHILIPPINE	2	-3.5	-0.5	1.8	1.5			--	--
AUSTRALIAN	1	-5.5	17.0	1.5	1.6			1.2	7.3
ANTARCTIC	1	-1.3	0.7	4.1	4.1			0.0	0.6
AFRICAN	2	-1.5	5.6	1.4	1.3			0.7	1.3

RELATIVE TO NORTH AMERICAN									
SO. AMERICAN	1	0.6	2.8	3.0	2.0			-0.9	0.7
PACIFIC	3	-10.0	1.1	2.1	1.5			-6.7	6.1
EURASIAN	6	6.2	-0.4	1.5	1.1			2.0	1.3
PHILIPPINE	2	1.2	-1.7	1.9	1.6			--	--
AUSTRALIAN	1	-0.8	15.8	1.7	1.8			3.3	8.4
ANTARCTIC	1	3.4	-0.5	4.3	4.7			2.1	1.7
AFRICAN	2	3.2	4.4	1.6	1.4			2.8	2.4




FIGURE 3. STATION MOTIONS RELATIVE TO TEXAS

systematic errors in the Doppler results, or a combination of both. Table 3 shows a number of instances where differences in the rates of different sites within the same datum are unreasonable considering the standard errors and the rigidity of the plates. Some of the discrepancies may be due to changes in antenna locations and others due to overly optimistic standard errors. The standard errors can be optimistic because the data are not evenly distributed over the ten year span of the linear fit. Appendix A shows that the preponderance of the data used in this study was observed in 1980 and 1981. Therefore the residuals of the linear fit, used to compute the standard errors, will not reflect longer period variations in station positions. Appendix B also shows large annual variations in station heights. The computed rates of the station heights were generally unreasonably large, with the majority in the range of 10 to 30 cm/yr. These results indicate systematic errors in the Doppler system, probably due to neglected higher order ionospheric effects (Clynch and Renfro, 1982), which might also affect horizontal positions.


#### PROSPECTS FOR THE FUTURE

Only about 25 percent of the data observed for one satellite during the ten year period was processed to determine the results given in this report. Processing of the remaining data for this satellite during the period should reduce the standard errors of the results by a factor of two, which might produce additional statistically significant results. The more complete data set will allow tests to be performed to determine whether antenna changes cause discontinuity in the results, and whether the motion of sites is continuous over the time period or correlated with a change in ephemeris computation procedure. In future years, firmer results will be available for the Eurasian plate and additional sites will provide data on other plates such as the Australian and South American plate.

## REFERENCES

- Malyevac, Carol and Richard J. Anderle, "Determination of Plate Tectonic Motion from Doppler Observations of Navy Navigation Satellites", Proceedings of the Second International Geodetic Symposium on Satellite Doppler Positioning, University of Texas at Austin, January 1979, pp. 695-742.
- Minster, J. Bernard and Thomas H. Jordan, "Present-Day Plate Motions", Journal of Geophysical Research 83 (B11), 10 November 1978, pp. 5331-5354.
- Clynnch, James R. and Brent A. Renfro, "Evaluation of Ionospheric Residual Range Error", Proceedings of 3rd International Geodetic Symposium on Satellite Doppler Positioning, New Mexico State University, in press.

**APPENDIX A**  
**GRAPHS OF STATION COORDINATE CORRECTIONS**








FIGURE A-1



A-4

FIGURE A-2



A-5

FIGURE A-3

21 BELGIUM 140010.00  
STATION POSITION VARIATIONS





FIGURE A-4

22 PHILIPPINES  
STATION POSITION VARIATIONS



A-7

FIGURE A-5




FIGURE A-6






FIGURE A-7



A-10

FIGURE A-8



A-11

FIGURE A-9






FIGURE A-10




A-13

FIGURE A-11


113 NEW MEXICO 140010.00  
STATION POSITION VARIATIONS





A-15

FIGURE A-13



A-16

FIGURE A-14




FIGURE A-15




FIGURE A-16

128 OTTAWA 140010.00  
STATION POSITION VARIATIONS




FIGURE A-17





FIGURE A-18






FIGURE A-20






FIGURE A-21




A-24

FIGURE A-22



A-25


FIGURE A-23



A-26

FIGURE A-24

10068 ASCENSION  
140010.00  
STATION POSITION VARIATIONS



A-27

FIGURE A-25






FIGURE A-26

20284 CATTANIA 140010.00  
STATION POSITION VARIATIONS





A-30

FIGURE A-28

30122 ASUNION  
1400010.00  
STATION POSITION VARIATIONS






FIGURE A-29



A-32

FIGURE A-30






FIGURE A-32

30280 SANTIAGO 140010.00  
STATION POSITION VARIATIONS




FIGURE A-33




FIGURE A-34






FIGURE A-35




31061 AUSTIN 60010.00  
STATION POSITION VARIATIONS




A-39

FIGURE A-37

31314    BAHRAIN              60010.00  
STATION POSITION VARIATIONS





A-41

FIGURE A-39




FIGURE A-40

**APPENDIX B**  
**SOLUTIONS FOR MEAN COORDINATES**

## DOPPLER NAVSAT SOLUTION

NSMC 020507

## VALUES ON AND ABOVE THE DIAGONAL ARE MEAN COORDINATES.

## VALUES BELOW THE DIAGONAL ARE VALUES FROM LINEAR FIT EVALUATED AT 1980.0

		POSITION METERS											
		LONGITUDE											
		LATITUDE											
STATION INDEX	STATION NO.	1	2	3	4	5	6	7	8	9	10	11	12
1	8	-45.87	166.67	4.36	144.63	170.72	138.65	106.63	-68.76	-97.73	-68.01	-93.06	-119.07
2	24	-23.22	-77.85	50.80	13.44	-14.33	-34.67	32.28	61.28	76.54	30.38	44.40	44.73
3	19	-0.14	--2.43	-1.19	-0.06	-0.61	-0.11	-0.59	-0.72	-0.50	-0.37	-0.31	-0.54
4	23	-0.0	-0.12	--2.32	-0.70	-0.14	-0.63	-0.14	-0.68	-0.52	-0.64	-0.29	-0.57
5	24	-0.11	-0.28	-0.12	-0.60	--2.32	-0.42	-0.59	-0.37	-0.12	-0.53	-0.25	-0.76
6	112	-0.54	-0.47	-0.52	-0.03	-0.61	--4.28	-0.24	-0.09	-0.22	-0.94	-0.17	-0.03
7	113	-0.76	-0.64	-0.78	-0.22	-0.67	-0.34	--4.91	-0.29	-0.37	-1.14	-0.41	-0.03
8	114	-0.48	-0.40	-0.36	-0.14	-0.57	-0.09	--3.66	-0.20	-0.77	-0.06	-0.27	-0.10
9	118	1.03	-0.97	0.74	-0.18	0.93	-0.35	-0.02	-0.02	-0.08	-0.72	-0.85	-0.56
10	192	-0.32	-0.42	-0.44	-0.98	-0.38	-0.95	-1.22	-0.75	-1.20	--2.01	-0.79	1.22
11	310	-0.29	-0.47	-0.32	-0.30	-0.41	-0.14	-0.47	-0.84	-0.39	-0.82	--2.01	-0.46
12	320	-0.64	-0.65	-0.66	-0.18	-0.64	-0.19	-0.11	-0.16	-0.16	1.18	-0.49	-0.36
13	330	-0.47	-0.53	-0.34	-0.15	-0.56	-0.05	-0.39	-0.07	-0.37	-0.80	-0.89	-0.34
14	340	-0.29	-0.44	-0.38	-0.91	-0.28	-0.90	-1.16	-0.82	-1.20	-0.07	-0.67	-1.11
15	20	-0.49	-0.54	-0.46	-1.14	-0.25	-1.00	-1.12	-0.40	-1.03	-0.53	-0.60	-1.06
16	22	-0.79	1.14	-0.71	-0.26	1.26	-0.26	-0.00	-0.35	-0.18	1.66	-0.61	-0.13
17	105	-0.23	-0.27	-0.15	-0.36	-0.23	-0.35	-0.62	-0.26	-0.59	-0.59	-0.16	-0.53
18	195	-78.01	-0.55	-86.49	-101.31	-122.73	-48.01	-75.17	-70.69	-56.74	-63.63	-78.87	-93.00
19	196	5.04	3.40	4.77	-5.00	8.10	5.41	3.24	-0.98	4.64	5.42	6.57	-1.92
20	27	-0.06	-0.12	-0.11	-0.46	-0.27	-0.38	-0.71	-0.28	-0.63	-0.53	-0.15	-0.44
21	126	-1.19	-0.36	-0.24	-0.27	-0.43	-0.26	-0.58	-0.16	-0.40	-0.64	-0.07	-0.49
22	641	-0.71	-0.40	-0.50	-0.10	-0.69	-0.02	-0.18	-0.30	-0.47	-0.90	-0.35	-0.35
23	125	-0.67	-0.69	-0.94	-1.38	-0.76	-1.34	-1.63	-1.30	-1.46	-3.39	-1.24	-0.05
24	10068	1.92	1.24	1.33	1.21	2.07	0.53	0.07	-0.60	1.39	1.78	0.72	0.64
25	30121	-0.64	-0.30	-0.01	-0.26	1.16	-0.57	-0.46	-0.17	-0.59	-0.84	-0.63	-0.95
26	30122	-0.76	1.36	-0.56	-0.29	-2.17	-0.03	-5.41	-4.11	-4.62	-3.00	-0.00	-0.15
27	30130	-2.47	4.09	-0.26	-0.14	-2.21	-0.06	-0.29	-0.05	-1.96	1.21	-0.17	-0.41
28	30148	-1.07	-0.67	-0.65	-0.74	1.43	-0.19	-0.61	-0.14	-1.19	-1.19	-0.15	-0.29
29	30280	6.20	-0.1	-0.43	1.25	-0.64	-0.57	-0.52	-0.57	1.34	1.70	-0.71	-0.82
30	30806	-0.02	-0.41	-0.40	-0.23	-0.56	-0.54	-1.04	-0.84	-6.54	-0.44	-0.57	-0.16
31	20284	3.20	4.07	-0.24	-0.02	3.46	-0.17	-0.21	-0.07	-0.69	1.59	-0.12	-0.43
32	30939	6.03	0.00	-0.66	-0.31	0.00	-0.48	0.00	0.00	0.00	0.00	-0.44	-1.26
33	30126	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.51	-0.93
34	30123	0.78	5.47	2.15	-0.43	2.16	7.43	1.39	3.20	2.77	-1.25	4.67	1.21
35	127	-0.05	-0.68	-0.18	-0.52	-0.20	-0.89	-1.20	-1.01	-2.94	-0.44	-0.57	-0.78
36	107	1.74	1.28	1.47	1.08	1.61	0.92	0.73	1.19	0.78	1.86	-0.97	0.61
37	116	1.03	1.12	1.03	0.75	1.26	0.52	0.24	0.77	0.65	1.37	-0.52	-0.22
38	31061	-17.59	6.79	6.28	-4.64	3.64	6.59	4.67	-1.28	2.93	-0.72	0.00	-2.71
39	31039	4.42	5.62	2.82	4.19	2.35	4.44	1.23	-1.18	2.54	1.54	2.32	-0.64
40	31314	7.01	6.09	3.77	4.35	5.75	3.31	2.26	2.32	1.36	4.47	3.33	2.12

VALUES UN AND ABOVE THE DIAGONAL ARE MEAN COORDINATES.

		LONGITUDE POSITION METERS														
		VALUES BELOW THE DIAGONAL ARE VALUES FROM LINEAR FIT EVALUATED AT 1980.0														
STATION INDEX	STATION NO	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
LONGITUDE	120.07	28.35	-64.05	110.54	141.13	-75.92	11.23	-114.29	-14.40	-78.42	-57.61	33.73	-158.00	-70.85	100.59	
LATITUDE	14.99	-25.95	-64.77	-66.28	39.14	45.40	43.00	50.07	-7.91	-10	-25.30	35.00	21.31	-33.62	13.79	
1	6	.71	.20	-1.64	-.15	.07	.15	.63	-1.05	1.42	-.22	.54	.30	-.09	-.02	
2	19	1.05	.28	-1.48	.44	.13	.37	-.37	-1.01	1.43	.23	.72	.37	-.04	-.10	
3	21	.79	.17	-2.10	-.33	.14	.17	.48	-1.22	1.34	.02	.71	.43	-.08	-.36	
4	23	-.08	-.39	-2.73	-1.45	-.51	-.30	-.02	-1.63	1.19	.29	.27	.01	-.43	.14	
5	24	-.48	-.08	-3.82	-1.75	.20	.42	.57	-.96	2.08	.91	1.40	.64	1.49	.69	
6	112	.09	-.41	-3.01	-1.42	-.37	-.29	-.07	-1.55	.44	-.41	-.02	-.05	.13	-.51	
7	113	.04	-.62	-2.76	-1.18	-.69	-.65	-.22	-1.96	.15	-.93	-.56	-.46	-.14	-.97	
8	114	.21	-.29	-2.47	-.89	-.31	-.18	-.16	1.58	.62	-.43	-.03	-.22	.29	-.60	
9	118	.56	.30	-2.22	-.53	-.30	-.34	-.34	1.58	.05	-.61	-.05	-.80	-.45	-.58	
10	192	1.20	.53	-2.37	-.74	.55	.61	.88	-.61	1.64	.59	.61	1.11	.69	.54	
11	310	.40	-.21	-3.07	-1.48	-.13	-.14	.35	1.47	.73	-.57	.00	-.17	.16	-.66	
12	320	-.12	-.59	-3.43	-2.39	-.45	-.50	-.15	1.58	.39	-.91	-.19	-.44	.04	-.87	
13	330	.14	-.32	-2.62	-1.18	-.32	-.22	-.11	1.32	.67	-.53	.06	-.10	.34	-.57	
14	340	.83	.44	-2.14	-.67	.34	.57	.00	-.55	.76	.76	1.26	1.10	1.46	.52	
15	20	1.05	.42	-1.73	-.27	.29	.51	.80	-.33	.00	0.00	0.00	0.00	0.00	0.00	
16	22	-.49	-.64	-2.74	-1.09	-.71	-.81	-.41	-1.86	0.00	0.00	0.00	0.00	0.00	0.00	
17	165	-.70	-.24	-2.04	-.41	-.04	0.00	1.40	-1.32	1.13	-.09	.36	.14	-.71	-.12	
18	195	-56.64	-92.09	-.2429	.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
19	196	6.52	10.11	-49.12	-.455	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	27	-.77	-.04	0.04	0.00	-.226	.15	.58	-1.22	1.32	.38	.14	.22	.92	-.17	
21	128	-.77	.19	0.00	0.00	-.2426	.34	-1.34	1.34	.71	-.30	.15	.32	-.52	-.27	
22	041	-.14	.42	0.00	0.00	-.63	-.38	-.49	-1.66	1.13	-.31	.39	.13	.79	-.24	
23	125	-1.47	-1.05	0.00	0.00	-.91	-1.12	-1.43	-1.39	1.56	.18	1.00	.96	1.10	.97	
24	3u68	1.00	1.02	0.00	0.00	1.35	.66	.65	1.89	-.42	-1.20	-.52	-.76	-.39	1.19	-.95
25	3u121	0.02	0.12	0.00	0.00	.51	-.03	-.30	-.36	1.50	-.432	.85	.50	.71	.01	.23
26	30122	0.00	-2.98	0.00	0.00	-5.32	-5.29	-3.91	1.23	-.66	.95	-.24	-.32	.21	-.67	-.35
27	30130	0.00	.92	0.00	0.00	-.63	-.47	-.26	1.01	-.87	.54	-.34	-.02	.48	-.74	-.11
28	30186	0.03	.37	0.00	0.00	.95	.16	.80	1.44	-.45	.81	.21	.48	.439	-.47	.97
29	3u260	0.00	.10	0.00	0.00	.52	-.25	-.19	.67	1.42	-.22	-.68	-.77	-.12	-.32	.32
30	3u460	0.03	-.40	0.00	0.00	-.11	-.63	-.70	1.00	-.20	.19	-.46	-.15	.69	-.01	-.19
31	20284	0.00	1.38	0.00	0.00	1.67	-.06	2.05	.93	-.79	.53	-.25	-.10	-.52	.67	-.06
32	3J939	0.00	.90	0.00	0.00	4.00	4.00	4.00	2.13	-.07	.54	-.34	-.02	.48	-.74	4.16
33	3u126	0.00	.60	0.00	0.00	0.00	0.00	0.00	2.12	-.11	.901	-.523	-.01	.73	-.649	20.01
34	3u123	0.00	4.34	0.00	0.00	-.42	2.00	1.042	2.00	.77	2.08	1.42	1.75	1.32	2.21	2.09
35	127	0.00	-.60	0.00	0.00	-.46	-.83	-.97	-.28	-.65	-.80	3.31	-.77	-1.01	-.01	-.20
36	107	.27	1.34	0.00	0.00	1.36	1.17	.74	2.66	.63	1.22	5.67	2.54	1.14	1.33	1.88
37	116	.36	.86	0.00	0.00	.83	.77	.06	1.99	-.13	.63	3.09	.97	.61	1.29	1.11
38	31061	0.00	3.03	0.00	0.00	-17.97	-3.26	0.00	7.78	-2.40	8.99	2.33	-1.35	0.00	-4.36	0.00
39	31039	0.00	1.95	0.00	0.00	2.12	.93	3.72	2.39	5.45	3.29	7.01	1.44	2.24	1.44	4.62
40	31314	0.00	3.71	0.00	0.00	4.55	2.52	4.72	3.22	2.36	7.01	4.06	3.17	4.06	2.82	6.48

FIGURE B-1B

## DOPPLER NAVSAT SOLUTION

NSMC020907

## LONGITUDE POSITION METERS

VALUES ON AND ABOVE THE DIAGONAL ARE MEAN COORDINATES.

		VALUES BELOW THE DIAGONAL ARE VALUES FROM LINEAR FIT EVALUATED AT 1900.0											
		LONGITUDE POSITION METERS											
		VALUES ON AND ABOVE THE DIAGONAL ARE MEAN COORDINATES.											
STATION INDEX	31	32	33	34	35	36	37	38	39	40	41	42	43
STATION NO.	20284	30939	26126	30123	1.27	1.07	1.16	31061	31039	31314			
LONGITUDE	14.94	72.38	15.25	-5.72	174.10	-77.31	-1.36	-97.73-105.12	50.61				
LATITUDE	37.41	-7.26	-4.37	-15.94	52.73	39.00	51.16	36.36	69.12	26.21			
1	8	.46	0.00	0.00	2.11	-1.30	1.59	1.00	2.32	.80	1.72		
2	19	.27	2.60	0.00	2.34	-1.61	1.29	1.15	2.54	.68	1.54		
3	21	.43	1.65	0.00	2.12	-1.20	1.36	.98	1.58	.56	1.73		
4	23	-.16	1.23	0.00	1.72	-.79	.94	.70	1.71	-.06	1.08		
5	24	.77	0.00	0.00	2.87	-.01	1.56	1.36	1.64	.68	2.11		
6	112	-.16	.84	-.36	1.36	-.85	.91	.60	1.31	.02	1.07		
7	113	-.49	0.00	0.00	1.90	-.14	.66	1.24	.43	-.24	.76		
8	114	-.16	0.00	0.00	1.22	-.92	1.07	.73	1.01	-.06	1.09		
9	116	-.60	0.00	0.00	.74	-1.61	.72	.05	.16	-.35	.73		
10	192	.74	0.00	0.00	2.25	.64	1.94	1.42	1.70	.73	1.92		
11	310	-.13	.65	.47	1.37	-.93	1.05	.68	.84	-.03	1.17		
12	320	-.51	1.13	-.31	1.24	-.97	.78	.45	.00	-.08	.60		
13	330	-.23	1.65	2.1	1.68	-.02	1.01	.61	.41	-.17	.07		
14	340	1.04	2.50	1.05	2.71	.46	1.91	1.74	2.51	1.25	2.41		
15	20	0.00	0.00	0.00	0.00	0.00	1.78	1.61	0.80	0.00	0.00		
16	22	0.00	0.00	0.00	0.00	0.00	.57	.30	0.00	0.00	0.00		
17	105	-.14	0.00	0.00	1.85	-.46	1.24	.88	1.47	.52	1.56		
18	195	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
19	196	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
20	27	.21	0.00	0.00	2.07	-.51	1.33	.91	1.31	-.15	1.46		
21	128	-.05	0.00	0.00	1.46	-.71	1.30	.92	.69	1.1	1.27		
22	641	.40	0.00	0.00	1.83	-.75	.74	.07	0.00	.48	1.28		
23	125	.83	1.90	.32	2.70	.71	2.64	2.21	1.87	1.45	2.67		
24	10068	-.80	-.01	-.35	.08	-.64	-.64	-.12	-.07	-.48	.67		
25	30121	-.39	1.67	.49	2.04	-.50	1.23	.72	1.15	2.08			
26	30122	-.37	1.22	-.15	1.43	-.74	1.17	.32	1.64	-.35	1.28		
27	30130	-.13	1.49	-.16	1.74	-.64	1.25	.71	.93	.01	1.32		
28	30188	-.60	1.17	-.31	1.38	-.18	.91	.55	.93	.03	1.01		
29	30280	.57	1.95	.64	2.21	-.46	1.60	1.47	0.00	1.21	2.13		
30	30680	-.04	1.19	-.10	2.03	-.34	1.65	1.01	2.11	.87	1.76		
31	20284	-.2668	1.75	.40	1.68	-.66	1.40	.80	.97	.26	1.26		
32	30939	-.49	-.49	-.34	-.34	-.07	0.00	0.00	0.00	0.00	0.00		
33	30126	-.054	-.34	-.35	1.46	0.00	0.00	0.00	0.00	0.00	0.00		
34	30123	1.63	-1.69	-.61	-.66	-2.41	-.05	-.29	0.00	-1.21	-1.21		
35	127	-1.92	0.00	4.00	-6.90	-.24	2.02	1.24	1.99	.79	1.90		
36	107	1.72	0.60	0.00	3.28	-.1400	-.38	-.73	-1.17	-.18			
37	116	1.12	0.00	0.00	2.17	1.33	1.33	-.68	.62	-.74	.41		
38	31061	2.04	0.00	0.00	4.85	2.62	2.62	-.1416	-.77	0.00			
39	31039	.90	0.00	0.00	3.13	-.34	1.40	4.38	-.05	1.27			
40	31314	2.22	0.00	0.00	1.69	3.96	1.57	0.00	-.72	-.24			

LATITUDE POSITION METERS  
VALUES UN ABOVE THE DIAGONAL ARE MEAN COORDINATES.

VALUES BELOW THE DIAGONAL ARE VALUES FROM LINEAR FIT EVALUATED AT 1980.0

STATION INDEX	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
STATION NO	8	19	21	23	24	112	113	114	115	192	310	320	330	340	20	
LONGITUDE	-45.87	166.67	4.36	144.63	-170.72	138.65	-106.75	-149.83	-68.76	-97.73	-60.01	-93.06	-119.07	-158.00	55.68	
LATITUDE	-23.22	-77.65	50.66	13.44	-14.33	-34.67	32.28	61.28	76.54	30.38	44.40	44.73	34.11	21.52	-4.67	
1	8/-	-4.22	-0.20	-0.08	-0.22	-0.36	0.65	-0.33	-0.11	0.49	-0.24	-0.75	0.04	-0.07	-0.19	
2	1.9	-0.16/-	-0.462	0.12	-0.00	-0.32	0.94	-0.02	-0.14	0.61	-0.19	-0.58	0.35	0.19	-0.45	
3	2.1	-0.12/-	-0.12/-	-0.16	-0.20	-0.42	0.74	-0.27	-0.10	0.54	-0.17	-0.67	0.14	-0.01	-0.60	
4	2.3	-0.29	-0.08	-0.23/-	-0.01	-0.28	0.96	-0.14	0.01	0.63	-0.02	-0.52	0.24	-0.13	-0.45	
5	2.4	-0.20	-0.20	-0.35/-	-0.18/-	-0.29	1.15	-0.15	0.35	0.97	-0.23	-0.25	0.49	-0.43	-0.16	
6	1.12	0.66	1.15	0.93	1.17	1.30/-	-0.88	-1.02	-0.78	0.02	-0.69	-1.44	-0.61	-0.71	-1.27	
7	11.3	-0.40	-0.65	-0.28	-0.13	0.35	-1.24/-	-0.89	0.17	0.85	0.11	-0.43	0.39	-0.30	-0.27	
8	11.4	-0.37	-0.53	-0.28	-0.12	0.03	-1.19/-	-0.01/-	0.05	0.34	-0.05	-0.56	0.22	-0.10	-0.50	
9	11.8	0.56	1.09	0.66	0.82	0.83	-0.25	1.16/-	0.79/-	0.60	-0.62	-1.15	-0.51	-0.63	-0.94	
10	19.2	-0.21	0.25	-0.11	0.03	0.20	-1.03	-0.17	0.15	-0.81/-	0.02	-0.51	0.54	-0.19	-0.41	
11	31.0	-0.87	-0.64	-0.72	-0.54	-0.36	-1.66	-0.46	-0.47	-1.40	-0.59/-	-0.58	0.0	0.69	0.06	
12	32.0	0.02	0.33	0.16	0.27	0.44	-0.60	0.61	0.43	-0.72	0.32/-	0.30	-0.30	-0.17	-0.65	
13	33.0	-0.05	0.21	0.3	0.21	0.42	-0.83	0.36	0.32	-0.73	0.19	0.77	-0.14/-	-0.15	-0.53	
14	34.0	-0.63	-0.56	-0.69	-0.47	-0.42	-1.61	-0.33	-0.35	-1.02/-	-0.52	-0.52	-0.10	-0.75	-0.66/-	
15	20	-0.40	0.19	-0.35	-0.05	-0.31	-1.24	-0.13	-0.01	-0.91	-0.60	-0.35	-0.32	-0.39	-0.11/-	
16	22	-0.17	0.23	-0.11	0.13	-0.34	-0.96	0.18	0.25	-0.25	0.02	-0.65	-0.21	-0.16	-0.42	
17	1.65	-0.23	0.22	-0.12	0.11	0.30	-0.96	0.26	0.22	-0.66	0.14	-0.64	-0.23	-0.11	-0.58	
18	1.95	7.8, 17	72.51	2.0, 36	81.50	55.54	52.59	76.44	51.96	5.70	86.23	65.36	84.36	70.69	25.34	28.61
19	1.96	-0.57	-0.47	-4.69	-3.34	-12.63	-4.15	-4.49	-6.83	-5.70	-2.37	-6.91	-4.66	-4.46	-9.17	-5.21
20	27	-0.93	-0.68	-0.91	-0.79	-0.68	-1.84	-0.61	-0.64	-1.70	-0.78	-0.17	-0.99	-0.92	-0.24	-0.33
21	12.6	0.09	0.37	0.03	0.24	0.40	-0.85	0.39	0.31	-0.47	0.14	0.76	-0.07	0.04	0.65	0.33
22	6.41	-0.21	0.23	-0.27	-0.20	-0.20	-1.16	-0.11	0.15	-0.84	-0.22	0.41	-0.34	-0.21	-0.53	-0.46
23	1.25	-0.96	-0.80	-0.92	-0.73	-0.69	-1.74	-0.59	-0.67	-1.56	-0.78	-0.24	-0.99	-0.86	-0.35	-0.80
24	10.08	-0.72	1.33	0.73	0.61	1.56	-0.61	1.77	1.06	6.00	1.01	0.93	-0.01	0.43	-0.75	0.00
25	33.21	-0.30	0.45	0.42	0.38	0.82	-0.58	0.79	0.65	0.19	0.12	0.31	0.07	0.17	0.78	0.00
26	30.22	0.92	3.79	0.71	0.49	3.71	-0.43	4.93	1.96	3.85	1.04	0.24	0.55	1.02	0.00	0.00
27	3.030	-0.37	0.59	-0.23	-0.64	-0.11	-1.38	-0.85	-0.20	0.16	-0.20	0.11	-0.65	-0.49	-0.28	0.00
28	30.180	-0.92	-0.81	-0.25	-0.51	-0.36	-1.34	-0.05	-0.35	-0.77	-0.69	-0.16	-0.71	-0.44	-0.07	0.00
29	30.280	-0.52	0.45	0.23	0.03	0.51	-0.96	-0.01	0.07	7.63	-0.32	0.54	-0.05	0.09	0.53	0.00
30	30.600	-0.25	0.74	0.57	0.64	1.21	-0.66	-0.67	0.90	-3.09	0.40	0.74	0.29	0.20	1.00	0.00
31	2.264	-0.44	0.47	-0.40	-0.79	-0.65	-1.49	-0.54	-0.50	-0.49	-0.55	-0.01	-0.71	-0.66	0.00	0.00
32	30.939	0.63	0.03	-1.12	-0.0	0.00	-1.09	0.06	0.06	0.00	0.00	0.00	-0.11	-0.50	-2.53	0.00
33	30.126	0.03	0.00	0.00	0.00	0.00	-0.43	0.00	0.00	0.00	0.00	0.00	-0.37	0.11	-2.03	0.00
34	30.123	1.47	2.75	1.29	0.99	6.81	0.13	6.17	2.43	7.0	4.38	1.61	0.83	1.11	1.49	0.00
35	1.27	-2.01	-1.71	-1.67	-1.27	-2.94	-1.40	-1.48	-1.45	-2.07	-1.17	-1.30	-1.11	-0.95	0.00	0.00
36	1.17	1.25	1.49	1.13	1.39	1.67	0.45	1.57	1.60	0.52	1.21	2.04	0.96	1.17	2.24	1.47
37	1.16	-0.11	-0.09	-0.15	0.18	0.52	-0.89	-0.32	-0.34	-0.77	-0.04	0.73	-0.25	-0.01	0.95	0.93
38	31.601	-12.89	-46.57	-14.30	-10.72	-5.68	-8.29	-5.91	-9.57	-7.26	-9.10	-6.79	0.00	-8.06	-6.66	0.00
39	31.039	-0.24	0.53	0.11	-0.08	-0.11	-1.40	0.91	0.10	-0.08	-0.26	0.48	-0.53	-0.16	-1.75	0.00
40	31.314	1.46	3.50	1.57	2.1:	1.26	0.38	2.53	1.23	2.51	1.40	2.38	1.66	0.51	1.66	0.51

FIGURE B-2A

DUFRENE NAVSAT SOLUTION

N5HC820907

LATITUDE POSITION METERS  
VALUES IN AND ABOVE THE DIAGONAL ARE MEAN COORDINATES.  
VALUES BELOW THE DIAGONAL ARE VALUES FROM LINEAR FIT EVALUATED AT 1980.0

STATION INDEX	31	32	33	34	35	36	37	38	39	40
STATION NO.	20284	30939	30123	127	107	116	31061	31039	31314	
LONGITUDE	14.94	72.38	15.25	-5.72	174.10	-77.31	-97.73	-105.12	50.61	
LATITUDE	37.41	-7.26	-4.37	-15.94	52.73	39.00	51.18	30.38	69.12	26.21
1	.6	-.68	0.00	0.00	1.38	-1.83	1.06	-.35	-1.35	.04
2	19	-.09	0.00	0.00	1.87	-1.55	1.37	-.18	-.82	.50
3	21	-.28	-1.54	0.00	1.54	-1.58	1.19	-.14	-.12	.28
4	23	-.63	-1.08	0.00	1.34	-1.86	1.40	.12	-.79	-.09
5	24	-.33	0.00	0.00	1.46	-1.53	1.54	-.30	-.78	.01
6	112	-1.62	-7.79	-.21	.14	-3.11	1.16	-1.15	-2.53	-1.56
7	113	-.32	0.00	0.00	1.64	-1.56	1.49	.20	-.50	-.04
8	114	-.38	0.00	0.00	1.46	-1.57	1.60	.33	-.92	.09
9	118	-.93	0.00	0.00	1.09	-2.15	.54	-.82	1.24	-.37
10	192	-.38	0.00	0.00	1.46	-1.86	1.24	-.12	-.84	-.00
11	310	-.12	-1.83	.01	1.88	-1.02	1.98	-.62	-.49	-.23
12	320	-.73	-6.9	-.30	.66	-1.97	1.02	-.38	0.00	-.24
13	330	-.56	-3.30	.29	.95	-2.07	1.03	-.22	1.43	-1.54
14	340	-.08	-.01	.61	1.28	-1.07	1.92	.65	-.36	-.60
15	20	0.00	0.00	0.00	0.00	0.00	1.29	.41	0.00	0.00
16	22	0.00	0.00	0.00	0.00	0.00	1.25	-.15	0.00	0.00
17	105	-.66	4.00	0.00	1.53	-1.88	1.17	-.22	-.35	-.11
18	195	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	196	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	27	.25	0.00	0.00	2.29	-.69	2.22	.94	-.63	-.61
21	128	-.72	6.00	0.00	.94	-2.04	1.10	-.13	-.69	-.33
22	641	.26	0.00	0.00	2.45	-1.07	1.36	.09	0.00	.01
23	125	.33	.01	.77	1.53	-1.05	2.14	.77	-.72	-.33
24	10008	-.51	-.93	.53	.72	-2.37	.64	-1.16	2.45	-.26
25	30121	-.61	-.47	-.19	.72	-2.13	1.39	-.55	1.90	-.47
26	30122	-.1.09	-.1.02	-.61	.37	-2.31	.67	-1.15	-2.02	-.44
27	30130	-.23	-.11	.32	1.38	-.1.58	1.69	-.13	1.04	-.30
28	30188	-.07	.27	.91	1.37	-1.39	1.75	.21	-.11	-.69
29	30260	-.49	-.27	.17	.90	-1.74	1.49	-.45	-.00	-.46
30	30800	-.69	-.1.42	-.67	.63	-2.16	1.05	-.09	-.72	-.93
31	20284/-2440	-.04	.49	1.54	-1.19	1.92	.18	-.43	-.65	.43
32	30939/3.65/-2452	.44	.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00
33	30126	.51	-.15/-4.96	.42	0.00	0.00	0.00	0.00	0.00	0.00
34	30163	1.64	1.76	-2.64/-1.08	-.3.12	.18	-1.94	0.00	-2.44	-1.23
35	127	-.65	0.00	0.00	-4.42/-1.85	3.37	1.48	.54	.77	1.59
36	107	2.04	0.00	0.00	-6.38/3.49/-14.92	-1.27	-2.71	-2.45	-1.53	
37	116	-.70	0.00	0.00	-9.67/1.62/-1.21	-.44	-4.42	-.32		
38	31001	-.447	0.00	0.00	-6.04/-6.65/-2.92	-.50	0.00			
39	31039	-.07	0.60	0.00	-5.94/1.21/-2.27	1.97	16.89/-2.92	1.03		
40	31314	1.07	0.00	0.00	1.84/2.32	.05	2.69	0.00	2.00/-2.05	

## COUPLER NAVSAT SOLUTION

NSWC820907

## HEIGHT POSITION METERS

## MEAN COORDINATES.

VALUES UN ABOVE THE DIAGONAL ARE VALUES FROM LINEAR FIT EVALUATED AT 1960.0

STATION INDEX	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
STATION NO.	8	19	21	23	24	112	113	114	116	192	310	320	330	340	20	
LONGITUDE	-45.87	166.67	4.36	144.63	-170.72	136.65	-106.75	-149.03	-68.76	-97.73	-68.01	-93.08	-119.07	-158.80	55.46	
LATITUDE	-23.22	-77.85	50.80	13.44	-14.33	-34.67	32.28	61.28	76.54	30.38	44.40	44.73	34.11	21.52	-4.67	
1	0/-4.29	-1.85	.09	.84	.06	.22	-1.02	-.44	.18	.22	-.33	-.13	.88	1.28	-.24	
2	19/-1.17/-2.48	1.13	1.82	1.06	.77	.02	.54	1.16	1.33	.86	1.11	2.08	2.38	1.05		
3	21/.14	1.18/-1.98	.78	-.13	-.35	1.19	-.63	-.03	.08	-.39	-.40	.67	1.19	-.35		
4	23/1.11	2.06	.97/-1.84	-.82	-1.05	-1.93	-1.39	-.31	-.63	-1.17	-1.16	-.02	.58	-.54		
5	24/.43	1.48	.08/-0.83/-1.88	-.21	-1.04	-.42	.50	.23	-.35	-.30	-.30	.83	1.31	.30		
6	112/-2.22	.70	-1.29	-.55/-1.80	-.85	-.28	.30	.44	-.04	-.01	1.00	1.47	-.05			
7	113/-0.93	.11	-1.18	-2.11	-.29	-.77/-1.23	.55	1.30	1.24	.81	.81	1.82	2.38	.94		
8	114/-0.84	.17	-1.00	-1.91	-1.09	-.60	1.17/-1.22	.27	.82	.32	.27	1.40	1.75	-.33		
9	116/-0.74	.34	-1.10	-1.63	-1.29	-.53	.35/-0.80/-0.80	.19	-.37	-.14	.01	.77	-1.02			
10	192/.13	1.27	-.03	-.90	-.11	.38	1.14	1.04	.76/-1.42/-1.42	-.38	-.50	.74	1.16	-.62		
11	310/-0.23	.97	-.37	-1.30	-.53	-.04	.85	.67	.68/-2.27/-2.27	-.61	.01	1.05	1.65	.27		
12	320/-0.39	.85	-.66	-1.59	-.89	-.24	.54	.34	.11/-2.3/-2.3	-.53	1.03	1.47	-.39			
13	330/.82	2.08	.53	-.32	.43	.92	1.67	1.64	1.51	.74	.92	1.13/-1.66	.50			
14	340/1.65	2.68	1.42	.57	1.26	1.79	2.62	2.47	2.25	1.51	1.81	2.01	.89/-2.08	-.1.11		
15	20/.20	.15	1.63	-.19	-.69	.11	.50	1.18	.88	.12	.61	.35	.53	-.1.19	-.61	
16	.22/.46	1.34	-.11	-.91	-.04	.29	1.26	.84	-.16	.08	.38	.45	-.04	-.1.22	-.07	
17	105/-0.63	.48	-.86	-1.81	-.96	-.61	.34	.18	.17	-.77	-.48	-.25	-.42	-.2.33	-.89	
18	195/3.62	2.25	3.58	59.11	101.06	69.62	58.94	66.27	49.25	52.36	60.39	71.09	64.10	53.23	113.85	64.77
19	196/1.32	9.71	11.23	15.54	-4.68	9.49	12.76	6.27	9.74	10.74	12.39	6.78	6.82	17.97	12.25	
20	c7/.50	1.55	-.30	-.57	.21	.74	1.44	1.32	1.03	.41	.60	.91	-.29	-.1.18	.25	
21	126/-2.16	-1.20	-2.32	-3.20	-2.48	-1.68	-1.18	-1.37	-1.39	-2.45	-2.13	-1.50	-.3.05	-.3.79	-.1.86	
22	b41/-0.31	.75	-.44	-1.53	-.58	-.05	.51	.42	1.09	-.49	-.34	.07	-.2.27	-.2.08	-.04	
23	125/-0.19	1.23	-.26	-1.01	-.41	.25	.88	.69	.56	-.27	.16	.50	-.95	-.1.62	.05	
24	10068/-0.93	-.11	-.88	-1.29	-.97	-.46	-.71	-.82	-.19	-.44	-.40	-.40	-.2.01	-.1.90	0.00	
25	30121/-0.04	.17	-.48	-.94	-.23	.19	.83	1.21	.67	.13	-.12	.13	-.78	-.65	0.00	
26	30122/-0.41	-.81	-1.55	-2.12	-4.51	-1.29	3.70	3.96	-.16	3.77	-1.07	-1.10	-2.81	-2.83	0.00	
27	30130/-4.00	-1.31	-.41	-.98	-4.73	-.22	-1.23	-.72	-.56	-1.73	-.15	.51	-1.02	-1.45	0.00	
28	30188/-0.04	1.34	.01	-.18	.30	.51	.34	1.72	.54	.42	.31	.66	-1.04	-1.12	0.00	
29	30260/-4.87	-.47	-1.20	-1.44	-1.42	-.68	.66	.82	-2.61	-.26	-.67	-.56	-2.53	-2.24	0.00	
30	30800/-0.35	1.18	-.12	-.28	.63	.83	1.97	2.17	.91	.94	.72	.72	-.1.06	-.91	0.00	
31	20264/-1.71	1.00	-.64	-1.15	-1.97	-.03	2.03	2.23	2.00	1.06	-.13	.04	-.1.38	-.1.69	0.00	
32	30939/0.00	0.00	-1.05	.00	.00	-.63	0.00	0.00	0.00	0.00	-.30	.04	-.76	-.2.3	0.00	
33	3012b/0.00	0.00	0.00	0.00	0.00	-.69	0.00	0.00	0.00	0.00	-.38	-.55	-.63	3.45	0.00	
34	30123/2.01	.28	-.78	-.60	-.91	-.19	7.54	7.73	-.07	7.93	.27	.15	-.47	-.1.30	0.00	
35	1c7/-0.48	.25	-.33	-.93	-.41	.20	1.01	1.23	.99	-.05	-.28	-.54	-.75	-.1.66	0.00	
36	1u7/-1.25	-.56	-1.40	-2.55	-1.72	-1.11	-.33	-.41	-.74	-1.48	-.82	-.82	-.52	-.3.26	-1.35	
37	11b/-1.3t	-.55	-1.34	-2.46	-1.61	-.98	-.33	-.29	-.63	-.49	-.34	-.88	-.45	-.3.15	-1.34	
38	31061/-14.40	-10.32	4.03	-7.89	11.40	-11.73	-7.75	-6.06	-7.56	-9.70	0.00	-7.41	-10.29	0.00		
39	31059/-1.22	.81	.07	.77	-1.97	-.35	1.44	2.29	1.72	1.40	.50	-.77	-4.30	-.78	0.00	
40	31314/-3.49	.40	-2.79	-3.74	-2.31	-.32	.17	-.54	-1.13	-1.50	-3.26	-7.36	-2.77	0.00		

## DOPPLER NAVSAT SOLUTION

NSWC 820907

## HEIGHT POSITION METERS

VALUES IN AND ABOVE THE DIAGONAL ARE MEAN COORDINATES.  
VALUES BELOW THE DIAGONAL ARE VALUES FROM LINEAR FIT EVALUATED AT 1980.0

STATION INDEX	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
STATION N°	1.05	1.05	1.96	1.28	6.41	1.25	1.0068	3.0121	3.0122	3.0188	3.0280	3.0800				
LONGITUDE	28.35	-64.05	116.54	141.13	-75.92	11.23	-114.29	-14.40	-78.42	-57.61	33.73	-15.60	-70.85	100.59		
LATITUDE	-25.95	-64.77	-66.28	39.14	45.40	43.80	50.87	-7.91	-10	-25.30	35.00	21.31	-33.62	13.79		
1	-0.25	-0.70	5.45	1.17	*.41	-2.38	-0.34	-0.02	-0.71	0.3	-1.49	-0.22	*.19	-0.91	.45	
2	1.9	.71	.38	5.96	1.98	1.52	-1.29	.74	1.18	.46	.34	-.39	1.33	1.61	1.68	
3	.21	-.52	-.88	5.41	1.20	*.28	-2.55	-.44	-.15	-.50	-1.74	-.33	*.04	-1.21	.09	
4	2.3	-.92	-1.71	5.38	-.50	-3.47	-1.33	-1.11	-1.33	-1.95	-2.23	-2.4	-1.44	-3.1		
5	.24	-.03	-1.78	7.02	2.73	.22	-2.71	-.56	-4.6	-1.10	-2.04	-2.04	*.00	-1.23	.40	
6	1.12	-.23	-.46	5.33	1.28	*.69	-2.07	-.05	*.30	-.52	-1.32	*.34	*.44	-.85	.84	
7	1.13	.82	*.31	6.54	2.38	1.43	-1.42	.52	1.04	.30	.78	-.71	*.94	1.23	.34	
8	1.14	-.35	-.05	5.42	.79	1.12	-1.45	.26	.97	.69	1.16	-.26	1.19	1.66	.64	
9	1.16	-.1.37	-.70	4.58	*.33	*.37	-1.32	*.02	*.66	*.75	*.35	*.49	1.34	*.06	1.10	
10	1.92	-.77	-.86	5.14	*.88	*.33	-2.53	-.57	-.18	*.09	-1.16	*.11	*.29	*.44	.71	
11	3.10	-.07	-.50	6.07	1.94	.59	-2.29	-.36	.29	-.41	-1.06	*.16	*.31	-.63	.60	
12	3.24	-.45	-.38	4.87	*.59	*.81	-1.73	*.03	*.60	-.23	-.26	-1.07	*.38	*.75	.56	
13	3.30	-.98	-1.52	4.53	*.33	-.37	-3.10	-1.37	-.78	-1.69	-1.76	-2.42	-1.02	-.88	-2.26	-1.08
14	3.40	-1.34	-2.24	4.35	*.57	-1.07	-4.04	-1.93	-1.67	-1.67	-2.68	-1.43	-.83	-2.16	-1.92	
15	2.0	-.27	-.78	5.41	1.26	*.48	-1.69	*.23	*.05	*.00	*.00	*.00	*.00	*.00	*.00	0.00
16	2.2	-.44	-.53	5.98	1.75	*.54	-2.18	-.04	*.03	*.00	*.00	*.00	*.00	*.00	*.00	0.00
17	1.95	-.79	-.15	6.48	2.05	1.54	-1.54	-.04	.71	-.09	.38	-.88	*.47	*.95	-.16	1.03
18	1.95	1.08	-.97	75.54	-.54	-4.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	1.96	1.17	7.32	-.35	-.14	3.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	2.7	.27	1.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	1.28	-1.93	-1.54	0.00	0.00	0.00	-2.72	-.1442	1.63	2.57	1.29	2.36	*.63	2.37	2.58	1.55
22	0.41	-.50	-.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	1.25	.14	.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	10.66	0.00	-.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	3.0121	0.66	.34	0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	3.0122	0.60	-.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	3.0130	0.00	-.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	3.0148	0.00	-.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	3.0200	0.00	-.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	3.0800	0.00	1.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	2.0284	0.00	-.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
32	3.0939	0.00	0.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
33	3.0146	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
34	3.0123	0.00	2.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35	1.27	0.00	-.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36	1.07	-.10	-.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
37	1.16	-.83	-.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
38	3.1061	6.00	-.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
39	3.1039	0.00	-.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40	3.1314	0.00	1.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

FIGURE B-3B

VALUES ON AND ABOVE THE DIAGONAL ARE MEAN COORDINATES.  
VALUES BELOW THE DIAGONAL ARE VALUES FROM LINEAR FIT EVALUATED AT 1980.0

		HEIGHT	POSITION METERS
STATION INDEX	31	33	34
STATION NO.	20284	30939	30126
LONGITUDE	14.94	72.38	15.25
LATITUDE	37.41	-7.26	-4.37
1	8	-1.15	0.00
2	19	1.32	0.00
3	21	-0.66	-0.31
4	23	-1.18	-0.82
5	24	-0.73	0.00
6	112	-0.07	-0.20
7	113	-0.75	0.00
8	114	1.03	0.00
9	116	-0.66	0.00
10	192	-0.19	0.00
11	310	-0.15	-0.73
12	320	-0.07	1.01
13	330	-1.39	-0.25
14	340	-1.66	-0.40
15	20	0.00	0.00
16	22	0.00	0.00
17	105	-0.28	0.00
18	195	0.00	0.00
19	196	0.00	0.00
20	27	-0.66	0.50
21	128	2.05	0.00
22	641	-0.04	0.00
23	125	-0.32	-0.97
24	10068	-0.08	1.02
25	30121	-0.03	1.28
26	30122	-0.92	2.06
27	30130	-0.28	-0.91
28	30188	-0.62	-0.23
29	30280	-0.47	1.78
30	30800	-0.54	-0.35
31	20284	-1.452	1.37
32	30939	-1.27	-1.32
33	30126	-2.67	-1.32
34	30123	-0.31	-2.49
35	127	-0.73	0.64
36	107	-2.55	0.04
37	116	-1.26	0.60
38	31061	-9.21	0.03
39	31039	-0.03	-0.06
40	31314	-1.75	0.00
		35	36
		37	38
		39	40
		31061	31039
		30939	31314

FIGURE B-3C

**APPENDIX C**  
**RATES OF CHANGE OF STATION COORDINATES**

## DOFFLER NAVSAT SOLUTION

NSWC020907

STATION INDEX	STATION NO.	LONGITUDE	LATITUDE	VALUES ON AND ABOVE DIAGONAL ARE RATES.				VALUES BELOW DIAGONAL ARE STANDARD ERRORS OF RATES				CH/VR				
				1	2	3	4	5	6	7	8		13	14		
1	8/-3.413	45.87	166.67	4.36	1.44	63-17.0	7.2	136.65-106.75	149.83	-68.76	-97.73	-60.01	-93.08-119.07	-156.00		
2	2	1.9	5.91/-21.32	-77.85	50.80	1.344	-14.33	-34.67	32.26	61.28	76.54	30.38	44.40	44.73	34.11	
3	3	2.1	3.20/-5.64	-1.02	-10.30	-22.60	-7.90	-9.52	-2.16	-1.41	-18.96	-5.50	-2.89	-6.97	-4.47	
4	4	2.3	3.71	5.88	2.88/-28.95	-6.17	4.35	-6.43	-6.65	-6.74	-10.91	-6.00	-7.68	-9.79	-8.50	
5	5	4.26	5.77	3.27	-3.72/-21.83	32	12.00	17.95	11.74	20.94	5.03	5.31	5.96	5.31	-1.13	
6	6	1.12	3.03	4.32	1.83	2.87	3.14/-5.45	6.95	6.95	11.14	11.18	11.18	11.18	11.18	21.52	
7	7	1.13	3.10	4.71	1.96	2.68	3.27	1.72/-4.22	2.07	1.81	1.81	1.81	1.81	1.81	1.81	
8	8	1.14	3.19	4.71	2.26	2.89	3.60	1.02/-6.63	1.86	1.66	1.66	1.66	1.66	1.66	1.66	
9	9	1.18	4.73	6.13	3.67	4.50	5.18	3.76	3.65	3.60/-10.23	16.77	16.77	16.77	16.77	-1.31	
10	10	1.92	4.73	5.85	3.36	4.11	4.35	3.32	3.12	3.29	4.72/-25.52	3.70	3.70	3.70	-2.07	
11	11	31.0	3.08	5.26	2.43	3.37	4.62	2.34	2.26	2.26	4.16	3.52/-25.52	4.16	4.16	-6.31	
12	12	32.0	3.45	5.14	2.25	3.17	3.37	2.32	2.04	2.04	4.24	3.32	2.53/-25.50	4.24	4.24	
13	13	33.0	4.87	2.87	2.86	3.51	3.51	1.86	1.86	1.86	3.47	3.23	2.42	2.42	-2.42	
14	14	34.0	3.31	4.83	2.73	2.89	3.58	3.58	2.41	2.57	4.25	3.80	3.18	2.83	2.83	
15	15	20	5.13	7.83	3.60	4.32	5.76	4.08	3.50	3.91	7.58	6.36	4.73	4.10	4.10	
16	16	22	5.88	6.37	3.39	4.19	5.15	2.84	2.96	2.99	6.77	5.03	4.09	3.05	3.05	
17	17	10.5	3.70	5.26	2.40	3.30	3.71	2.06	1.97	2.03	4.07	3.58	2.61	2.29	2.29	
18	18	19.5	59.3	17	846.85	438.99	521.86	566.76	594.14	448.60	558.61	485.33	867.56	696.97	541.69	641.97
19	19	19.6	174.49	231.19	176.55	176.08	236.04	158.65	168.84	183.56	1466.20	180.05	150.57	140.09	170.65	
20	20	27	4.39	7.40	3.16	4.15	4.15	3.13	3.13	3.22	4.73	4.05	3.66	3.40	-0.29	
21	21	12.8	9.74	14.68	5.84	7.49	8.43	5.44	5.20	5.20	8.83	7.72	6.49	6.49	7.99	
22	22	6.41	9.67	16.14	5.06	7.01	7.99	5.75	5.51	5.51	9.24	7.65	6.83	6.83	7.74	
23	23	12.5	11.77	17.72	7.77	8.78	9.88	6.33	7.82	6.55	11.30	9.46	9.92	5.67	7.25	
24	24	10.68	57.01	66.52	19.49	28.74	46.96	18.71	45.16	32.97	317.9	30.58	17.93	14.64	10.63	
25	25	30.121	51.84	40.67	28.76	28.14	26.80	18.95	32.68	26.99	62.93	23.65	21.78	18.56	23.66	
26	26	33.122	29.07	452.59	33.36	44.41	26.98	13.85	224.74	403.36	203.17	23.56	15.40	14.93	17.62	
27	27	34.130	158.40	138.30	15.45	29.77	11.05	62	12.49	73.04	70.94	138.52	89.15	10.96	9.33	
28	28	34.148	44.21	57.97	16.77	18.51	47.11	11.99	60.71	29.88	90.07	39.77	15.29	14.15	13.68	
29	29	36.280	406.22	78.70	19.30	30.38	51.03	14.82	36.98	32.40	385.40	31.72	13.89	16.06	15.44	
30	30	36.680	44.57	56.62	28.63	29.42	35.18	19.61	55.85	39.35	237.78	41.42	32.39	17.67	21.46	
31	31	20.264	150.18	156.72	30.06	11.812	12.51	75.91	76.70	134.93	94.35	11.96	9.34	10.06	14.58	
32	32	34.939	0.00	0.60	18.20	40.72	0.00	31.33	0.00	0.00	0.00	18.14	31.95	29.23	13.36	
33	33	30.126	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	29.15	41.52	47.33	51.60	
34	34	30.123	424.75	644.90	40.64	44.87	57.34	7.47	21.77	400.25	309.41	508.35	296.33	28.05	22.07	
35	35	1.27	43.65	46.47	24.42	28.98	30.63	20.19	31.62	22.79	166.89	21.74	29.63	94.19	0.00	
36	36	1.07	15.55	19.42	7.94	12.75	1.3.81	8.35	8.61	8.33	20.78	12.17	6.58	12.44	30.47	
37	37	1.16	17.30	23.13	10.10	12.55	14.71	9.77	10.62	11.42	23.27	15.79	10.96	11.57	13.64	
38	38	31061	767.901056.75	569.761323.61	760.601285.28	884.52	774.46	657.67	546.81	798.79	0.00	610.261604.56	0.00	0.00	0.00	
39	39	31039	175.93	154.25	124.80	96.74	132.76	105.96	97.56	85.42	186.33	123.12	100.52	138.35	115.97	
40	40	31314	199.55	186.10	80.77	146.37	120.45	84.73	120.28	85.17	180.46	94.98	85.25	94.95	109.36	

## DOPPLER NAVSAT SOLUTION

NSWC 020907

		VALUES ON AND ABOVE DIAGONAL ARE RATES. VALUES BELOW DIAGONAL ARE STANDARD ERRORS OF RATES										
		CH/yr										
		RATE										
STATION INDEX	16	17	18	19	20	21	22	23	24	25	26	27
STATION NO.	22	105	195	27	128	641	125	10868	30121	30122	30130	38166
LONGITUDE	120.07	28.35	-64.77	-66.28	39.14	45.40	43.90	50.67	-7.91	-10	-25.30	35.00
LATITUDE	14.99	-26.07	2.76***	87.34	-4.1	-7.01	20.76	-26.27	-96.00	-179.23	-34.02	-311.34
1	8	2.43	-1.07	35.65	49.20	-1.39	-3.72	9.08	-55.84	51.56	-47.61	-280.92
2	9	2.18	-2.52	-3.09***	85.88	-5.85	-16.16	3.55	-48.44	22.56	-26.77	38.01
3	21	2.33	11.33	6.16***	59.77	9.24	-7.39	20.05	-36.31	-11.67	-86.42	-5.66
4	5	2.48	2.08	17.11***	16.53	7.89	-3.94	19.58	-27.96	2.98	-1.30.60	527.36
5	6	11.12	5.13	6.75-733.46	115.03	-7.77	-7.29	15.81	-34.76	37.94	-37.41	-5.51
6	7	11.13	-1.11	-7.04***	74.32	-3.93	-13.35	11.31	-38.39	16.05	-143.77	728.18
7	8	11.4	4.31	3.10***	-1.41	4.22	-6.02	26.05	-38.70	4.67-15.08	626.52	-36.70
8	9	11.16	-7.88	-11.84-887.72	86.86	-15.67	-15.35	-5.78	-56.58	-217.59	-225.77	586.97
9	10	19.12	13.88	8.11-998.84	103.84	-4.65	-13.07	3.42	-41.62	-37.75-147.51	556.84	-77.98
10	11	31.0	7.52	7.36***	135.80	-5.37	-13.04	-20.05	-24.46	4.40	-31.12	-1.67
11	12	32.0	12.24	10.05***	7.81	2.75	-1.08	18.18	-35.08	28.77	-4.23	5.24
12	13	33.0	7.97	6.40***	40.19	6.27	-7.77	14.43	-41.22	-7.81	-38.16	-27.98
13	14	34.0	17.51	10.70***	16.09	11.63	-6.69	25.61	-38.24	29.16	-10.15	3.60
14	15	24	6.93	3.14***	1.69	3.08	-10.94	14.53	-46.81	8.88	0.00	0.00
15	16	22/-	-4.88	-2.40-870.35	127.11	-4.12	-12.65	13.63	-56.25	0.00	0.00	0.00
16	17	1.15	3.24/	-2.32***	175.17	-8.88	-16.53	9.22	-31.79	26.73-108.64	513.10	-95.97
17	18	19.95	44.16	354.459***	808.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	19	21.96	21.93	387.29	861.11-100.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	20	27	3.67	4.27	0.00	0.00	-2.93	-10.37	11.88	-40.76	-6.77-128.68	625.62
20	21	12.8	6.85	5.86	0.00	0.00	6.74/-	-24.03	18.26	-26.90	7.72-115.26	813.68
21	22	6.41	6.46	6.40	0.00	0.00	0.24	7.52/-	-22.48	-78.19	121.57-115.06	633.86
22	23	12.5	6.01	7.58	0.00	0.03	9.96	9.63/-	-32.42	59.10	25.51	49.02
23	24	10.68	3.33	0.00	0.00	38.95	48.10	17.76/-	18.08	-36.30	22.26	-19.62
24	25	3.0121	0.03	22.66	0.03	0.00	26.49	31.59	27.87	16.17	21.56/-	-27.92
25	26	3.0122	0.00	21.50	0.03	0.00	35.0.58	315.33	276.29	15.33	17.08	-13.86/-
26	27	3.0130	0.00	76.57	0.00	0.00	121.53	92.98	162.39	12.68	15.29	13.57/-
27	28	3.0166	0.00	29.72	0.03	0.00	29.42	36.76	669.90	13.53	17.18	18.40
28	29	3.0120	0.00	32.30	0.00	0.00	47.18	39.38	53.19	12.75	20.72	21.23
29	30	3.0121	0.00	34.65	0.00	0.00	33.16	45.13	42.72	28.66	25.27	21.19
30	31	20.284	0.00	76.64	0.00	0.00	105.60	102.27	152.61	13.26	12.92	14.09
31	32	30.939	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.90	144.70	143.79
32	33	36.126	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.90	171.82	194.95
33	34	30.123	0.00	389.46	0.00	0.00	557.73	461.66	442.64	21.83	22.54	23.98
34	35	1.27	0.00	19.59	0.00	0.00	30.47	29.16	36.27	34.87	34.81	19.52
35	36	1.07	20.04	8.42	0.00	10.04	9.61	14.91	12.68	30.42	30.60	228.83
36	37	1.16	32.44	9.94	0.00	12.41	12.38	16.49	16.20	57.91	37.93	413.60
37	38	31.061	0.00	76.728	0.00	0.00	0.00	0.00	0.00	953.21	906.40	941.61-1227.17
38	39	31.059	0.00	91.69	0.00	0.00	143.41	129.88	282.83	125.56	286.80	295.27
39	40	31.314	0.00	113.59	122.76	108.73	113.47	368.61	263.37	245.87	70.25	374.67

FIGURE C-1B

## DUFFLEK NAVSAT SOLUTION

NSWC020907

VALUES ON AND ABOVE DIAGONAL ARE RATES.		VALUES BELOW DIAGONAL ARE STANDARD ERRORS OF RATES		CM/HR	
STATION INDEX	31	32	33	34	35
STATION NO	20264	30939	30126	30123	127
LONGITUDE	14.94	72.38	15.25	-5.72 174.10	-77.31
LATITUDE	1	37.41	-7.26	-4.37 -15.94	52.73
	6-395.96	0.60	0.00*****	-62.89 -16.45	39.00
2	19-505.12	0.60	0.00*****	14.36	51.18
	21	32.16	-33.32	0.00	1.59
	23	-22.47	-84.69	0.60	11.52 -793.58 -673.41 -593.19
	5	24-340.66	0.00	0.00 -62.06	-55.20
	6	112	3.52	-26.34 105.17	22.54
	7	113	-89.80	0.00	0.00 -341.33
	8	114	-12.58	0.00	0.00 -232.63
	9	116	-16.58	0.10	0.00 313.70
	10	192-109.52	0.60	0.00 -362.12	-31.60
	11	310	-3.22	-16.58 86.18	13.16
	12	320	19.99	8.74 111.09	-4.91
	13	330	3.03	10.18 112.70	-119.24
	14	340	23.11	-7.35 -239.52	*42 -13.73
	15	20	0.00	0.00	0.00 -14.94
	16	22	0.00	0.00	0.00 -21.93
	17	105-161.74	0.00	0.00 -374.31	12.19
	18	195	0.00	0.00	0.00 15.44
	19	196	0.00	0.00	0.00 20.63
	20	27-208.46	0.00	0.00 374.96	-21.68
	21	128	13.43	0.00	0.00 22.27
	22	641-206.07	0.00	0.00*****	25.92
	23	125	62.80	15.86 1.21.51	32.22
	24	10068	30-124.23-414.17	-21.12	63.62
	25	30121	19.63-347.95-584.48	6.98	2.94
	26	30122	1b.70	33.21-311.94	-2.55 -61.45
	27	30130	6.36	-23.65-374.30	56-693.03-425.63
	28	30188	12.54	-36.52 6.6.92	-9.15 -16.59
	29	3u260	13.24-243.16-573.09	-3.36	-48.18
	30	30600	32.67	201.981237.49	90.96
	31	2u264/-542.3-13.6	42-548.49	21.29	98.25
	32	30939	227.57/-35.53	1.09.2-118.31	16.16
	33	30126	335.49	51.54/-28.23-142.73	1.60
	34	30123	19.71	205.77 427.93/-16.28	5.16
	35	127	80.19	0.00	326.37/-7.38
	36	1u7	39.87	0.00	230.95
	37	116	186.87	0.00	727.87
	38	31061	626.42	0.00	41.55
	39	31039	99.80	0.00	11.61/-6.39
	40	31314	82.80	0.00	336.40-336.40

## DOPPLER NAVSAT SOLUTION

NSWC820907

STATION INDEX	STATION NO	LATITUDE	RATE	CH/YR																										
				VALUES UN AND ABOVE DIAGONAL ARE RATES.		VALUES BELOW DIAGONAL ARE STANDARD ERRORS OF RATES		STANDARD ERRORS OF RATES		9		8		7		6		5		4		3		2						
1	-45.07	166.67	4.36	1.44	63-170.72	130.65-106.75	-149.03	-68.76	-97.73	-6.0	-0.01	-9.3	-0.06	-119.07	-156.00	55.46	20	34	30	320	330	340	360	370	380					
2	-23.22	-77.85	50.80	13.44	-14.33	-34.67	32.28	61.28	76.54	30.38	44.40	44.73	34.11	21.52	-4.67															
3	6/-34.99	1.74	-2.11	-5.09	5.72	11.75	-4.41	-14.66	1.85	1.93	-8.34	-9.99	1.16	-5.47	-5.52															
4	19	5.17/-4.69	-15	-5.26	6.45	12.90	-1.69	-5.76	9.12	5.35	-4.08	-1.26	1.18	-5.60	-2.86															
5	21	2.18	4.43/-2.45	-2.95	4.56	13.74	-0.95	-12.25	9.06	4.68	-4.83	1.77	3.80	-5.46	-4.91															
6	23	2.74	5.16/-2.25	-3.33	8.08	17.57	1.25	-9.82	6.73	4.69	-2.35	3.19	6.53	-1.58	-1.11															
7	11.5	4.41	1.59	2.25	2.62	1.49/-1.62	-10.87	9.47	4.54	-3.11	2.11	4.82	-3.66	-4.09																
8	11.4	2.14	4.73	1.58	2.21	2.29	1.48	1.63/-2.94	14.01	15.50	7.41	13.73	15.57	7.99	9.43															
9	11.8	3.71	5.82	3.35	4.29	4.86	3.37	3.53	3.24/-2.45	-6.85	-6.59	-6.39	-3.24	-6.79	-6.63															
10	19.2	3.11	5.61	2.26	3.26	3.39	2.44	2.37	2.63	4.27/-1.50	-8.83	-1.10	3.36	-7.88	-14.92															
11	31.0	2.38	4.50	1.69	2.35	2.58	1.68	1.82	1.69	3.80	2.65/-2.19	6.11	8.51	2.25	-3.37															
12	32.0	2.22	4.70	1.62	2.20	2.78	1.62	1.74	3.81	2.52	1.74/-3.91	2.19	-6.06	-3.23																
13	33.0	2.08	4.60	1.69	2.29	2.66	1.44	1.27	1.50	3.59	3.57	1.80	1.92	-2.13/-2.13	-6.67	-7.93														
14	34.0	2.31	4.41	2.16	2.52	2.40	2.09	1.92	3.83	3.01	2.21	2.03	-2.03/-2.03	-1.95																
15	3.83	7.92	3.09	4.13	4.67	3.73	3.33	3.15	6.07	4.75	3.45	3.20	3.10	-3.35/-3.45	-2.45															
16	22	3.94	6.68	2.61	3.42	3.57	2.54	2.68	2.56	6.16	4.80	2.87	2.81	2.54	2.87	3.62														
17	10.5	2.37	5.32	1.89	2.90	2.88	1.92	1.83	1.87	3.97	2.93	2.80	2.09	1.77	2.49	3.10														
18	19.5	50.854	40.61.13	305.63	356.50	542.19	362.17	279.38	396.82	368.42	399.68	699.82	379.75	236.38	370.31	229.05														
19	1.96	89.71	84.96	49.36	70.59	71.88	55.40	61.72	55.16	59.10	76.75	66.90	77.71	66.80	44.91	46.96														
20	27	3.09	6.98	2.76	3.30	3.11	2.57	2.46	2.39	5.07	3.55	2.76	2.70	2.41	2.68	4.31														
21	12.8	7.33	15.06	4.40	5.66	6.25	4.39	4.78	4.45	3.95	2.87	4.60	4.90	4.72	6.02	6.99														
22	6.41	7.14	14.70	4.51	5.48	5.30	5.33	5.13	5.78	6.49	5.41	4.86	4.79	5.35	6.21	7.32														
23	1.25	7.66	17.37	4.56	6.17	6.64	4.59	5.37	5.39	10.51	6.62	5.77	3.62	3.72	4.94	7.25														
24	10.68	34.17	50.49	22.78	28.67	39.75	20.63	51.03	28.78	350.91	34.53	24.10	20.11	15.47	16.73	0.00														
25	30.121	35.40	38.55	11.87	16.92	25.76	13.32	19.03	20.66	59.19	21.37	10.94	13.27	13.50	16.68	0.00														
26	30.122	11.60	33.67	7.75	20.77	26.69	1.86	6.02	12.92	52.365.74	12.22	11.49	10.66	9.13	13.22	0.00														
27	30.130	10.024	15.01	13.61	21.61	80.82	7.73	61.75	47.12	153.44	48.61	9.65	7.31	5.68	11.08	0.00														
28	30.146	21.86	53.34	13.47	13.43	23.06	11.74	37.74	10.12	89.79	25.12	10.88	9.14	8.13	10.88	0.00														
29	30.200	45.27	51.18	15.03	12.44	43.25	12.21	29.76	26.95	44.79	31.98	10.81	10.88	1.94	9.94	0.00														
30	30.600	50.82	46.33	22.90	32.45	33.32	16.26	34.64	32.44	229.31	27.51	19.39	14.04	15.03	20.34	0.00														
31	22.284	101.96	146.47	14.39	20.29	68.23	7.80	50.82	43.30	154.33	49.37	10.38	8.09	6.04	10.61	0.00														
32	30.939	0.04	6.60	27.24	21.58	0.00	55.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00														
33	30.126	0.04	6.00	0.00	3.00	3.00	0.06	20.12	6.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00														
34	30.123	287.39	339.35	23.68	24.67	233.75	15.94	20.67	259.37	555.72	275.58	21.54	1.05	1.29	13.70	0.00														
35	1.27	339.97	36.89	15.49	23.96	20.03	15.24	26.01	15.20	163.32	16.06	21.93	65.76	7.03	30.06	0.00														
36	1.07	1.0.63	20.55	6.96	9.15	10.97	6.33	6.95	7.84	17.22	8.14	6.13	6.06	6.78	9.58	16.75														
37	1.10	1.3.26	22.97	6.99	9.25	10.40	6.26	7.79	8.73	20.06	9.57	7.50	10.95	7.95	11.13	19.03														
38	31.061	56.451023.78	972.381679.79	978.54	793.97	709.07	524.34	724.27	496.55	492.76	0.00	61.925	683.35	0.00																
39	31.039	134.80	132.99	74.97	91.14	80.16	76.92	79.84	83.77	178.39	77.55	74.83	86.73	72.96	72.02	0.00														
40	31.014	133.02	138.61	71.02	123.37	95.42	58.70	70.30	75.99	208.62	57.07	71.74	54.99	65.66	89.37	0.00														

FIGURE C-2A

## DUFFLEM NAVSAT SOLUTION

NSMC620907

		LATITUDE	RATE	CM/YR	VALUES ABOVE DIAGONAL ARE RATES.	VALUES BELOW DIAGONAL ARE STANAGO ERRORS OF RATES	STANAGO	DIAGONAL	ARE	ERRORS	OF	RATES
STATION INDEX	16	17	18	19	20	21	22	23	24	25	26	27
STATION NC	22	105	195	196	27	128	641	125	10066	30121	30130	30166
LONGITUDE	120.07	28.35	-64.05	110.54	141.13	-75.92	11.23	-114.29	-14.40	-78.42	-57.61	33.73
LATITUDE	14.99	-25.95	-64.77	-66.28	39.14	45.40	43.60	50.87	-7.91	.10	-25.30	35.00
1	8	-3.65	3.01269.70	21.34	-17.05	-13.75	-7.61	-17.07	-46.55	126.93	-21.97	-120.18
2	19	2.16	5.211166.13	20.02	-13.88	-17.03	-11.85	-9.65	-65.15	52.60	-445.57	-92.66
3	21	-2.91	6.25459.64	-54.04	-9.77	9.62	3.98	.78	1.23	60.92	36.83	15.32
4	23	1.82	7.531317.79	-29.26	-6.81	2.77	-2.16	-6.66	-34.37	9.75	14.76	69.03
5	24	-12.83	-6.67 6.3-286.89	-9.61	40.72	6.80	-1.29	-17.34	-19.49	-461.72	-8.56	53.67
6	132	-14.14	-8.08 653.88	-40.21	-25.11	-14.65	-27.01	-26.78	-30.15	-46.13	-49.63	-13.53
7	113	-4.5	7.931234.56	-50.38	-11.53	2.04	.13	-4.35	-11.57	6.60	-625.09	-123.00
8	114	10.42	16.97 840.56	-83.46	5.05	18.27	19.66	11.75	-134.37	18.79	-184.59	1.39
9	118	2.51	2.89 939.54	-63.11	-18.66	7.37	.07	-6.59	-869.64	39.53	-163.64	113.65
10	192	-5.45	1.911399.10	-18.14	16.11	-3.8	-12.05	-7.83	-59.46	79.15	-473.72	-3.24
11	310	1.61	10.201041.07	-100.92	-2.30	14.61	14.69	7.62	58.75	71.01	135.57	110.54
12	320	-2.59	4.511370.46	-52.24	-13.49	-.76	-2.28	-9.69	8.29	26.61	-9.98	-1.40
13	330	-4.54	2.951141.96	-48.49	-17.02	-7.02	-6.18	-18.70	10.58	6.57	-17.93	-28.03
14	340	1.44	8.19 395.24-133.73	-3.86	1.38	8.85	2.59	*24	16.63	-14.62	-12	25.68
15	29	.75	10.91 455.44	-62.93	-3.95	7.41	17.15	-3.24	0.00	0.00	0.00	0.00
16	22/-14.82	7.19 860.29	-46.28	-2.76	5.12	7.51	-4.6	0.00	0.00	0.00	0.00	0.00
17	105	2.50/-9.405	545.49	45.22	-10.04	-2.94	-2.37	-11.40	-63.09	86.01	-205.06	-92.15
18	195	478.20	306.74/532.402	-297.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	196	65.85	75.65 521.302	-28.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	27	-3.90	3.91 0.00	0.00	-2.29	6.44	9.98	4.34-150.06	-15.60	22.95	53.40	44.52
21	128	5.47	0.00	0.00	5.05/-8.05	5.12	7.51	-4.6	0.00	0.00	0.00	0.00
22	641	6.83	5.72	0.00	5.05	6.76/-6.49	7.71	-10.61	-132.68	28.09	-267.58	-21.04
23	125	5.97	5.61	0.00	5.99	7.57	8.01/13.53	-7.73	-129.94	51.41	-541.49	-42.37
24	10466	0.00	30.22	0.00	4.00	32.21	36.52	50.53	15.47/-16.62	24.06	47.64	6.78
25	30121	0.00	10.95	0.00	0.00	27.00	23.20	14.56	24.21/-33.59	19.37	-25.81	-1.24
26	30122	0.00	130.84	0.00	0.00	226.60	253.97	398.56	10.55	12.45	14.15/-	-54.98
27	30130	0.00	57.49	0.00	0.00	50.91	93.54	44.93	10.9	13.56	11.42	9.39/-24.53
28	30186	6.03	10.63	0.00	6.00	20.05	29.54	46.06	11.13	15.98	12.66	8.09
29	30200	0.00	24.32	0.00	0.00	26.02	40.22	15.49	10.81	28.78	18.83	10.15
30	30600	0.00	30.62	0.00	0.00	37.70	33.46	39.64	17.41	19.91	17.63	16.63
31	29284	6.33	62.31	0.00	0.00	42.88	85.38	65.60	5.60	14.17	9.96	10.15
32	30939	0.00	0.00	0.00	0.00	0.00	0.00	0.00	36.35	157.22	132.79	251.25
33	30146	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.03	360.90	436.91	275.69
34	30123	6.00	233.03	0.00	0.00	341.06	318.79	487.22	16.06	17.37	13.73	13.27
35	127	0.00	21.65	0.00	0.00	21.48	23.02	29.34	29.35	31.31	15.05	173.29
36	167	15.73	7.51	0.00	0.00	8.44	7.97	14.73	10.12	33.65	14.36	168.03
37	116	26.72	6.58	0.00	0.00	9.32	9.26	13.73	11.74	50.99	27.45	247.38
38	31061	0.00	758.16	0.00	0.00	364.25	962.44	0.00	762.67	755.15	286.59	436.19
39	31639	0.00	99.76	0.00	0.00	102.84	107.17	112.24	76.59	301.39	268.38	283.87
40	31314	0.00	74.49	0.00	0.00	84.07	107.01	103.77	80.69	234.91	198.96	165.50

FIGURE C-2B

## DUFFLER NAVSAT SOLUTION

NSWC620-07

		LATITUDE	RATE	CM/YR
		VALUES UN AND ABOVE DIAGONAL ARE RATES.	VALUES BELOW DIAGONAL ARE RATES.	STANDARD ERRORS OF RATES
STATION INDEX	31	32	33	34
STATION NO	20284	30939	30126	30123
LONGITUDE	14.94	72.38	15.72	174.10
LATITUDE	1	-34.00	0.00	-13.27
2	-75.68	6.00	0.00	-588.10
3	20.13	36.98	0.00	72.41
4	26.40	100.67	0.00	72.77
5	40.34	0.00	6.00	-776.97
6	-56.92	-23.74	-16.72	-10.62
7	113-109.86	0.00	0.00	-673.95
8	114 15.35	0.00	0.00	-146.61
9	118 -65.30	0.00	0.00	17.87
10	192 21.95	0.00	0.00	60.56
11	310 45.29	55.50	43.42	99.23
12	320 4.66	12.88	-4.48	33.00
13	330 -27.84	1.33	-11.82	25.13
14	340 -1.21	-168.79	-163.93	39.07
15	20 0.00	0.00	0.00	0.00
16	22 0.00	0.00	0.00	0.00
17	145 -95.29	4.60	0.00	-175.08
18	195 0.00	0.00	0.00	0.00
19	196 0.00	0.00	0.00	0.00
20	27 33.32	0.00	0.30	274.78
21	128 14.42	0.00	0.30	123.02
22	641 -39.84	0.00	0.30	576.12
23	125 8.48	-6.94	-7.66	56.28
24	10068 -37.03	-495.57	219.00	28.10
25	30121 -23.39	26.73	29.22	7.89
26	30122 -2.85	304.60	154.89	41.22
27	30130 -2.50	336.40	156.02	40.13
28	30188 -35.22	-3.68	-15.62	13.93
29	30260 -25.26	20.26	366.04	22.11
30	30600 16.38	-166.59	398.90	51.08
31	20284/-3439	-219.92	1.71	37.86
32	30939 194.37/-11442	-18.72	52.44	0.00
33	30126 243.07	-49.79/-15468	-192.39	0.00
34	30123 14.01	205.70	513.11/-40493	195.48
35	127 54.95	0.00	0.00	233.74/-6422
36	147 48.77	0.00	0.00	218.83
37	146 95.48	0.00	0.00	329.94
38	31061 432.63	0.00	0.00	423.33
39	31039 62.78	0.00	0.30	563.74
40	31314 70.16	0.00	0.60	80.78

FIGURE C-2C

## DOPPLER NAVSAT SOLUTION

NSWC620907

STATION INDEX	VALUES ON AND ABOVE DIAGONAL ARE RATES.			VALUES BELOW DIAGONAL ARE STANDARD ERRORS OF RATES			CM/VK										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15		
STATION NO	6	19	21	23	24	112	113	114	115	192	310	320	330	340	20		
LONGITUDE	-45.07	166.67	4.36	144.63-170.72	138.65-166.75-149.83	-68.76	-97.73	-68.81	-93.08-119.07-158.80						55.46		
LATITUDE	-23.22	-77.85	50.80	13.44-14.33	-34.67	32.28	61.28	76.54	30.38	44.40	44.73	34.11	21.52	-4.67			
1	8/-64.96	-1.00	3.06	19.56	20.92	.17	5.45	-21.63	-26.29	-6.52	7.08	-16.07	-3.76	16.63	10.03		
2	1.9	4.58/-9.42	3.51	16.27	23.16	-4.11	5.33	-21.49	-26.63	-4.82	8.49	-14.68	0.02	15.54	18.11		
3	2.48	4.63/-12.03	16.98	14.37	-4.84	.24	-25.02	-36.25	-9.06	2.20	-11.33	14.67	4.58				
4	3.06	5.04	2.56/-28.95	-.43	-20.12	-16.00	-40.35	-44.32	-25.06	-16.53	-37.50	-27.13	-1.00	-4.24			
5	3.42	4.97	3.20	3.56/-28.91	-20.72	-15.96	-39.89	-51.17	-25.60	-14.81	-39.38	-27.21	-2.47	-6.97			
6	2.25	4.41	1.96	2.26	2.73/-24.15	5.22	-26.44	-26.24	-4.15	7.36	-15.76	-6.10	18.89	14.39			
7	11.3	2.44	4.60	1.86	2.34	3.31	2.06/-12.25	-25.69	-8.25	3.51	-20.59	-11.65	16.08	6.88			
8	11.4	2.44	4.62	1.73	2.43	1.86	1.88/-13.59	-5.79	16.90	28.12	4.22	17.05	4.03	30.91			
9	11.8	4.44	5.78	3.96	4.46	5.78	4.02	3.77/-28.05	20.03	36.07	7.63	23.14	43.59	23.23			
10	19.2	3.53	5.61	2.97	3.45	4.26	3.07	2.64	2.54	4.48	-34.23	11.75	-11.29	4.68	24.71	16.71	
11	31.0	2.44	4.95	1.84	2.75	3.71	2.22	1.78	1.93	4.12	2.91/-13.29	-23.07	-13.25	11.78	2.23		
12	32.0	2.01	4.63	1.84	2.80	3.51	2.07	2.02	2.02	3.60	3.33	1.95/-28.63	7.85	34.44	25.32		
13	33.0	2.86	5.61	2.50	3.06	3.63	2.58	2.19	2.42	4.34	3.39	2.28	2.73/-28.89	25.69	22.11		
14	34.6	2.58	4.53	2.06	3.58	2.07	1.95	2.22	3.99	3.08	2.14	2.51	2.57/-25.61	-4.92			
15	20	4.77	8.60	3.68	4.46	5.51	3.29	3.36	4.16	7.47	6.01	4.96	4.09	4.43	-4.85		
16	22	4.24	8.25	3.73	3.51	5.04	3.13	3.07	4.00	7.95	5.52	3.97	3.03	4.66	4.20	4.01	
17	10.5	2.62	5.19	1.98	3.17	3.42	1.83	2.17	2.36	4.53	3.64	1.93	2.04	2.77	2.27	3.6	
18	19.5	60.033	518.36	503.71	480.44	636.97	404.41	543.55	526.70	463.68	419.00	767.05	419.81	650.93	520.43	619.63	
19	95.23	130.62	100.01	97.04	121.12	63.09	98.27	182.60	91.75	97.62	66.01	98.98	93.61	100.51			
20	2.7	3.39	7.45	2.80	3.04	4.19	3.02	2.63	5.50	5.15	4.17	2.99	3.61	3.36	2.67		
21	1.28	7.45	16.50	5.11	6.93	8.24	5.84	5.56	5.41	10.92	7.49	5.57	5.97	5.99	8.22		
22	b41	6.53	15.70	3.99	5.44	6.61	4.92	4.37	5.44	8.99	6.39	3.92	3.68	5.76	5.17	6.69	
23	1.25	9.04	18.91	6.48	7.94	9.72	6.24	6.71	5.77	11.61	7.78	6.93	5.13	6.26	5.97	10.32	
24	100.68	32.95	42.49	17.97	22.14	38.99	11.72	41.48	33.58	449.54	37.57	16.14	15.03	13.04	12.14	0.00	
25	30121	45.35	42.62	22.27	25.93	43.39	16.31	21.09	19.77	66.62	25.45	14.45	14.75	17.46	10.95	0.00	
26	30122	265.34	372.18	26.03	30.95	285.74	9.99	22.88	17.84	412.27	214.12	17.70	16.34	6.72	12.21	0.00	
27	30130	145.60	174.12	29.73	28.79	150.72	18.25	68.53	55.16	184.36	75.35	16.78	15.78	19.45	10.35	0.00	
28	3.16	37.68	56.92	20.65	22.56	62.09	15.75	40.18	32.46	122.02	39.02	18.70	18.60	16.45	10.40		
29	30220	288.31	75.04	26.40	64.77	17.19	21.72	34.81	503.07	37.04	14.02	23.92	19.75	11.51	0.00		
30	30800	46.44	48.49	26.35	21.20	39.50	16.25	29.27	19.23	220.04	23.19	18.56	20.24	19.61	14.26	0.00	
31	20264	123.34	176.52	20.60	27.72	142.05	8.74	57.31	53.92	167.90	57.56	8.99	9.63	11.48	8.76	0.00	
32	30939	0.00	0.00	28.56	42.59	0.00	22.30	0.00	0.00	0.00	42.79	5.30	44.93	119.69	0.00		
33	30126	0.00	J.CJ	0.00	0.00	0.30	31.00	0.00	0.00	0.00	17.79	4.15	22.43	246.62	0.00		
34	30123	334.24	62t.04	27.84	58.92	521.07	16.53	230.42	309.20	532.03	355.96	22.82	19.41	18.26	13.01	0.00	
35	1.27	4.0.06	49.35	16.96	24.65	40.54	20.07	23.01	11.38	173.28	17.80	22.19	9.21	27.89	0.00		
36	1.67	1.1.67	19.95	7.74	10.95	13.20	9.22	6.20	7.39	25.57	11.22	6.72	10.43	9.93	9.99	26.53	
37	1.16	1.2.24	21.20	7.82	11.38	14.44	10.02	9.92	10.18	26.79	14.22	8.86	11.69	11.29	10.40	20.75	
38	31u61	50.0	921.024.14	770.39	899.721.314.78	613.30	752.09	462.43	160.381.299.04	107.53	0.00	405.96	665.85	0.00			
39	31u39	158.0	200.78	113.23	94.76	148.58	88.64	122.89	94.97	210.50	62.61	89.64	107.23	69.08	111.22	0.00	
40	31314	141.98	197.08	92.00	104.32	150.33	67.25	72.37	94.93	245.02	87.06	85.99	87.05	61.55	65.09	0.00	

## DOPPLER NAVSAT SOLUTION

NSWC820907

		VALUES IN AND ABOVE DIAGONAL ARE RATES.	VALUES BELOW DIAGONAL ARE	RATE	CM/YR
STATION INDEX	STATION NO	16 17 18 19 20 21 22	23 24 25 26 27 28 29	20 21 22 23 24 25 26	20 21 22 23 24 25 26
LONGITUDE	120.07	26.35 -64.05 110.54 141.13 -75.92 11.26	43.80 50.87 -14.40 -76.42 -57.61	-35.00 21.31 -35.62	-10.05 100.59
LATITUDE	14.99	-25.95 -64.77 -66.28 39.14 45.90 43.80	-7.91 11.23 -14.29 -14.40 -10.42	-25.30 35.00 21.31 -35.62	-13.79
1	8	21.19 7.12 533.08 2.64 11.62 40.77	7.96 24.11 42.32 14.67 -165.50	42.39 61.99 61.99	16.63
2	19	15.41 d.91 447.64 128.76 5.30 -35.63	2.90 -7.93 155.43 121.60	64.30 353.80 65.67	22.76 127.72
3	21	13.43 2.47 675.46 168.86 2.63 -48.36	-52 15.81 -25.89	20.82 -4.53	13.06 -4.19
4	23	-33 -16.001558.46 238.15 -14.32 -70.62	-32.26 -14.00 -30.65	12.65 -27.20	13.56 -22.32
5	24	-49 -21.031030.60 124.69 -1.18 -68.63	-34.21 -10.41 -33.95	-3.74 364.86	527.73 -66.85
6	112	17.73 6.41 873.60 138.12 8.19 -47.18	-0.05 9.21 27.76	47.66 19.38	56.98 32.50
7	113	16.15 3.95 974.43 173.71 1.59 -43.74	-2.26 19.27	76.96 -15.41	662.86 28.00
8	114	37.07 27.52 719.00 92.16 29.20 -20.52	28.84 39.38	-31.67 -24.41	646.41 26.22
9	118	24.78 35.68 778.11 156.07 30.63 -20.16	51.16 59.21	77.49 16.74	-31.94 157.82
10	192	25.90 14.011226.63 154.20 14.66 -37.58	11.15 16.62	-8.50 -23.36	759.46 236.23
11	310	11.06 3.331059.68 176.24 *73 -29.13	7.97 16.33	-22.02 16.40	-15.92 27.76
12	340	31.15 22.74 965.51 103.96 23.64 -38.97	7.14 24.67	-20.22 20.21	-2.76 30.46
13	330	31.84 15.94 793.83 109.07 18.74 -12.21	20.26 46.34	-42.80 -1.97	4.50 18.48
14	340	3.52 -9.281785.11 292.43 -13.79 -62.46	-19.98 -9.75	-35.66 -4.46	-25.90 -11.16
15	20	6.00 -3.74 967.68 180.77 -9.26 -71.07	-11.07 -4.75	0.00 0.00	0.00 0.00
16	22	-26.25 -11.361678.45 166.27 -16.45 -82.57	-32.91 -16.96	0.00 0.00	0.00 0.00
17	105	3.74/-15.831125.59 120.95 *51 -42.99	-0.05 0.07	20.06 19.28	-10.16 42.67
18	195	519.55 436.67/296.58 66.05 0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00
19	196	140.88 123.041055.53/153.03 0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00
20	27	4.71 4.07 0.00 0.00	0.00/-15.12 -45.55	-10.26 12.06	-16.58 -24.17
21	126	7.34 5.50 0.00 0.00	6.43/-231.32 53.16	51.69 -64.43	-43.81 -322.56
22	641	7.94 4.68 0.00 0.00	5.08 6.37/-245.9	23.90 -46.97	-16.33 339.68
23	125	9.29 7.02 0.00 0.00	7.46 8.22 7.75/-214.32	-19.15 23.66	-17.84 22.09
24	10468	10.00 21.55 0.00 0.00	10.59 26.66 37.26/-24.35	-19.15 12.67	-6.62 22.09
25	34141	0.03 20.56 0.00 0.00	18.76 25.91 26.56	9.69 14.96/-35.420	-36.49 22.09
26	30122	0.00 184.57 0.00 0.00	297.29 201.04 682.83	12.48 10.27	13.36/-24.01
27	34150	0.00 57.76 0.00 0.00	63.51 90.37 60.36	11.62 10.45	13.53/-23.420
28	30138	0.00 27.58 0.00 0.00	27.20 33.07 44.30	0.8 10.96 13.20	13.34 15.20
29	30200	0.00 35.90 0.00 0.00	21.25 30.40 31.93	12.83 13.61	12.65 12.37
30	30860	0.01 22.24 0.00 0.00	23.58 37.80 13.82	19.25 14.60	16.78 16.78
31	24284	0.00 41.95 0.00 0.00	76.40 74.66 68.94	6.26 11.81	10.58 11.08
32	30939	0.00 J.00 0.00 0.00	J.00 0.00 0.00	0.00 28.61	106.57 116.90
33	30126	0.00 J.00 0.00 0.00	0.00 0.00 0.00	24.90 272.85	270.74 227.74
34	30123	0.00 260.45 0.00 0.00	271.35 286.96 269.90	14.53 13.46	11.05 14.93
35	127	J.00 19.09 4.00 0.00	20.28 28.15 31.06	21.03 31.43	20.48 21.03
36	127	24.73 6.06 0.00 0.00	8.68 6.73 12.83	11.97 14.61	13.09 14.61
37	116	28.40 8.44 0.00 0.00	0.73 9.93 10.99	13.76 48.14	36.72 36.72
38	31061	0.00 531.11 0.00 0.00	0.001052.43 729.40	0.00 564.33	428.91 428.91
39	31039	0.01 92.40 0.00 0.00	125.80 130.27 143.66	92.50 298.17	359.21 359.21
40	31314	6.00 68.99 0.00 0.00	69.29 100.60 112.54	93.01 210.99	245.40 257.66

FIGURE C-3B

## DOPPLER NAVSAT SOLUTION

NSWC 820907

	VALUES IN AND ABOVE DIAGONAL ARE RATES.	VALUES BELOW DIAGONAL ARE RATES.	HEIGHT	RATE	CM/YR	STANDARD ERRORS OF RATES
STATION INDEX	31	32	33	34	35	36
STATION NO.	20284	30939	30163	121	107	116
LONGITUDE	14.94	72.38	15.25	-5.72	174.10	-77.31
LATITUDE	37.41	-7.26	-4.37	-15.94	52.73	39.00
1	8	224.23	0.00	0.00	-273.01	86.21
2	19	43.07	0.00	0.00	-192.55	168.16
3	21	-3.20	-65.99	0.00	101.88	-16.71
4	23	-4.75	-67.79	0.00	60.03	2.25
5	24	157.28	0.00	0.00	805.71	14.11
6	112	48.01	-65.17	-32.35	83.02	51.73
7	113	-163.07	0.00	0.00	-936.12	-16.55
8	114	-160.58	0.00	0.00	-916.78	.93
9	118	-199.95	0.00	0.00	770.17	-93.34
10	192	-162.05	0.00	0.00	444.44	14.68
11	310	-4.05	-79.00	-30.53	22.61	47.15
12	320	25.79	-66.21	-33.60	56.68	255.23
13	330	1.60	-36.65	-3.32	26.63	591.73
14	340	-5.38	42.26	354.51	27.50	11.90
15	20	0.00	0.00	0.00	0.00	-14.18
16	22	0.00	0.00	0.00	0.00	-5.33
17	105	14.92	0.00	0.00	-274.35	42.76
18	195	0.00	0.00	0.00	0.00	0.00
19	196	0.00	0.00	0.00	0.00	0.00
20	27	-56.08	0.00	0.00	-946.67	7.61
21	128	11.70	0.00	0.00	-14.76	-2.33
22	041	-28.64	0.00	0.00	-189.99	-5.61
23	125	10.00	-79.47	-41.61	55.62	5.85
24	10068	39.63	36.88	490.81	66.93	29.89
25	30121	-2.35	-184.97	-162.91	15.71	48.72
26	30122	27.20	81.07	147.02	49.73	d56.70
27	30130	9.33	-47	38.08	65.30	-269.31
28	30188	37.84	-59.54	-59.88	63.14	-14.93
29	30260	14.21	2.95	220.43	37.49	53.73
30	30400	-11.70	-50.3	-54.48	0.3	28.10
31	20264	-32434	-161.69	-130.64	31.83	119.38
32	30939	199.92	-263.16	-35.42	-64.36	0.00
33	30126	233.65	32.71	=234.41	155.08	0.00
34	30123	14.14	68.22	442.47	-68.63	66.51
35	127	49.69	0.00	0.00	-297.42	-93.46
36	107	70.36	0.00	0.00	284.68	19.06
37	116	157.45	0.00	0.00	460.00	36.16
38	31061	626.56	0.00	0.00	0.001181.14	582.012296.59
39	31039	58.11	0.00	0.00	507.66	91.37
40	31314	59.76	0.00	0.00	347.50	77.85

**APPENDIX D**  
**RESIDUALS OF FIT**

## DOFFLER NAVSAT SOLUTION

NSWC820907

## LONGITUDE RESIDUALS METERS

## VALUES ON AND ABOVE DIAGONAL ARE RESIDUALS OF CONSTANT COORDINATES.

		VALUES BELOW DIAGONAL ARE RESIDUALS FROM LINEAR FIT														
		VALUES ON AND ABOVE DIAGONAL ARE RESIDUALS METERS														
		LATITUDE RESIDUALS														
STATION INDEX	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
STATION AV	0	1.9	2.1	2.3	2.4	1.12	1.13	1.14	1.18	1.19	3.10	3.20	3.30	3.40	3.50	20
LONGITUDE	-45.87	166.67	4.36	144.63	-170.72	138.65	-106.75	-149.83	-68.76	-97.73	-60.01	-93.08	-119.07	-158.00	55.48	
LATITUDE	-23.22	-77.65	53.60	13.44	-14.33	-34.67	32.28	61.28	76.54	30.38	44.40	44.73	34.11	21.52	-4.67	
1	8/-1.12	1.99	1.29	1.43	1.68	1.19	1.27	1.24	1.44	1.66	1.53	1.34	1.33	1.34	1.22	
2	1.9	1.99/-1.52	1.78	1.98	2.09	1.52	1.70	1.69	1.79	1.84	1.85	1.75	1.73	1.77	1.44	
3	2.1	1.28	1.76/-1.68	1.16	1.43	0.78	0.85	0.96	1.16	1.23	1.02	0.98	0.97	1.22	0.96	
4	2.3	1.40	1.97	1.12/-1.04	1.43	1.12	1.13	1.14	1.45	1.40	1.31	1.31	1.21	1.12	1.13	
5	2.4	1.63	1.98	1.32	1.42/-1.36	1.26	1.46	1.46	1.59	1.56	1.48	1.35	1.43	1.41	1.02	
6	1.12	1.18	1.50	0.76	1.11	1.22/-1.62	0.75	0.83	1.25	1.17	0.94	0.91	0.75	1.04	0.96	
7	1.13	1.27	1.70	0.85	1.08	1.34/-1.60	0.72/-1.60	0.78	1.16	1.18	0.97	0.92	0.76	1.10	0.94	
8	1.14	1.24	1.68	0.94	1.13	1.41	0.83	0.77/-1.63	1.18	1.18	1.12	0.92	0.76	1.07	0.90	
9	1.18	1.33	1.76	1.13	1.31	1.35	1.13	1.11	1.07/-1.63	1.36	1.37	1.39	1.21	1.41	0.99	
10	1.92	1.66	1.42	1.22	1.40	1.53	1.17	1.16	1.30/-1.64	1.25	1.25	1.16	1.16	1.39	1.36	
11	31.0	1.53	1.63	1.31	1.30	1.30	1.43	0.94	0.96	1.12	1.29/-1.65	1.02	0.99	1.32	1.23	
12	32.0	1.32	1.73	.92	1.21	1.32	0.90	0.85	0.90	1.21	1.16	1.00/-1.67	.87	1.10	1.02	
13	33.0	1.32	1.71	.92	1.12	1.40	0.75	0.71	0.76	1.07	1.16	0.99	0.87/-1.68	1.05	0.95	
14	34.0	1.30	1.70	1.13	1.13	1.39	1.01	1.01	1.04	1.20	1.36	1.29	1.09	1.04/-1.67	0.92	
15	2.0	1.21	1.41	.93	1.01	1.36	0.96	0.90	0.96	1.34	1.23	1.01	0.84	0.91/-1.64	1.36	
16	1.07	1.26	1.01	1.14	1.44	0.80	0.93	0.85	0.92	1.24/-1.65	1.25	1.22	.90	0.97	0.86	
17	1.05	1.33	1.62	.89	1.14	1.32	0.75	0.75	0.74	1.22	1.14	0.95	0.84	0.73	0.96	
18	1.95	.57	.60	0.60	0.72	0.81	0.82	0.62	0.75	0.66	1.15	0.95	0.73	0.88	0.91	
19	1.96	2.04	2.39	2.11	2.31	2.92	1.96	2.00	2.21	2.21	2.38	1.94	1.64	2.00	2.08	
20	2.27	1.44	1.96	1.06	1.28	1.38	1.11	1.09	1.07	1.26	1.24	1.20	1.10	1.32	1.35	
21	1.28	1.61	1.88	1.13	1.41	1.59	1.02	1.00	1.00	1.08	1.07	1.04	1.03	1.03	1.37	
22	64.1	1.58	2.07	.98	1.29	1.52	1.07	1.08	1.08	1.44	1.31	1.23	1.15	1.20	0.91	
23	125	1.58	1.94	1.22	1.37	1.51	1.03	1.18	1.04	1.71	1.35	1.32	1.03	0.98	1.46	
24	100.68	1.33	2.18	.96	1.27	1.47	1.02	1.03	1.04	1.02	0.99	0.94	0.87	1.03	0.00	
25	301.21	1.27	1.56	1.43	1.29	.99	0.99	1.04	1.00	1.26	.89	1.13	.83	1.05	1.38	
26	3.122	1.16	1.91	1.11	1.45	1.08	0.68	1.07	1.07	1.18	.88	1.17	.83	.84	0.00	
27	3.0130	1.20	1.52	.56	1.06	1.12	0.72	0.80	0.75	1.07	1.08	.62	.66	.75	1.01	
28	3.0148	1.20	1.74	.88	1.35	.71	1.23	.99	1.20	1.17	.86	.87	.90	.89	0.00	
29	3.0284	1.20	1.59	.86	1.21	1.24	.73	.93	.79	.89	.80	.68	.85	.81	1.07	
30	3.0400	1.12	2.13	1.42	1.32	1.32	1.12	1.62	1.42	1.47	1.57	1.58	1.26	1.55	1.39	
31	3.0284	1.16	1.76	.61	1.10	1.26	.74	.88	.74	1.01	1.13	.70	.69	.74	1.08	
32	3.0939	0.60	1.00	.45	1.04	0.00	0.67	0.00	0.00	0.00	0.00	0.44	0.73	.67	0.85	
33	3.0126	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	.86	.97	
34	3.123	1.59	2.11	1.28	1.13	1.18	1.02	1.65	1.07	1.31	1.05	1.15	1.06	1.09	1.17	
35	1.27	1.17	1.90	.86	1.13	1.18	.62	.96	.66	1.28	.89	.92	1.02	.92	0.00	
36	1.07	1.51	1.81	.91	1.42	1.50	.95	.97	.93	1.64	1.28	.96	1.10	1.00	1.36	
37	1.16	1.65	1.95	1.15	1.37	1.53	1.07	1.15	1.23	1.86	1.54	1.21	1.30	1.24	1.41	
38	3.1001	.51	1.45	.40	.74	.56	.73	.50	.57	.48	.40	.58	0.00	0.45	1.12	
39	316.39	1.58	1.86	1.52	1.15	1.57	1.10	1.06	1.06	1.62	1.32	1.61	1.63	1.60	0.00	
40	313.14	1.30	1.80	.82	1.32	1.18	.86	1.15	.86	1.09	1.00	.89	.96	1.11	1.21	

## DÜPFLE NAVSAT SOLUTION NSWC 020907

LONGITUDE RESIDUALS METERS  
VALUES UN AND ABOVE DIAGONAL ARE RESIDUALS FROM LINEAR FIT  
VALUES DÉLOW DIAGONAL ARE RESIDUALS OF CONSTANT COORDINATES.

STATION INDEX	10	17	18	19	20	21	22	23	24	25	26	27	28	29	30
STATION NO	22	1.05	1.95	1.96	.27	1.28	64.1	125	1.0068	30121	30122	30130	30186	30280	30800
LONGITUDE	120.07	28.35	-64.35	110.54	141.13	-75.92	11.23-114.29	-14.40	-78.42	-57.61	33.73-158.00	-70.85	100.59		
LATITUDE	14.99	-25.95	-64.77	-66.28	39.14	45.40	43.60	50.67	-7.91	-10	-25.30	35.00	21.31	-33.62	13.79
1	8	1.07	1.33	.83	.206	1.44	1.61	1.64	1.38	1.63	1.16	1.30	1.27	1.42	1.12
2	19	1.28	1.62	.80	2.40	1.96	1.00	2.03	2.21	1.61	1.91	1.63	1.76	1.99	2.16
3	21	1.01	.90	1.02	2.13	1.09	1.15	.98	1.33	1.46	1.15	.58	.91	.86	1.42
4	23	1.26	1.15	1.23	2.32	1.29	1.41	1.36	1.46	1.27	1.54	1.45	1.07	.97	1.27
5	24	1.64	1.41	1.44	2.97	1.39	1.59	1.56	1.55	1.47	1.20	1.19	1.35	1.36	1.33
6	112	.61	.77	.94	2.00	1.11	1.03	1.13	1.14	1.10	1.06	.68	.72	.78	.73
7	113	.93	.75	.96	2.02	1.09	1.03	1.11	1.28	1.04	1.48	1.29	.81	1.26	1.19
8	114	.86	.75	1.01	2.21	1.07	1.09	1.20	1.06	1.01	1.35	1.16	.75	1.01	.90
9	116	.93	1.27	.86	2.23	1.33	1.60	1.25	2.01	1.04	1.72	1.27	1.11	1.21	.94
10	192	1.31	1.16	1.29	2.41	1.24	1.36	1.31	1.45	1.03	1.50	1.05	1.09	1.17	1.06
11	310	1.24	.97	1.21	1.99	1.21	1.17	1.23	1.35	.94	1.18	1.17	.62	.90	.71
12	320	1.00	.88	1.15	1.64	1.11	1.22	1.16	.92	.83	.67	.92	.86	.86	1.26
13	330	1.01	.75	1.16	2.03	1.13	1.04	1.15	1.12	.90	.75	.90	.87	1.62	
14	340	1.06	1.01	1.13	2.08	1.36	1.34	1.40	1.18	1.38	1.02	.93	1.07	1.39	
15	20	.91	1.04	1.21	2.03	1.35	1.40	.99	1.84	0.00	0.00	0.00	0.00	0.00	0.00
16	22/-.-.82	.95	.81	2.18	1.06	1.25	1.01	1.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	105	.94/-.-.52	.52	1.05	2.41	1.06	1.07	1.11	1.22	1.00	1.02	1.20	1.00	.84	1.07
18	195	.61	.49/-.-.98	.98	1.26	0.06	0.00	0.06	0.06	0.00	0.00	0.00	0.00	0.00	0.00
19	196	2.16	2.38	1.16/-.-2.62	2.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	27	.99	1.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	128	1.21	1.05	0.03	0.00	1.28	1.06	1.07	1.11	1.11	1.02	1.20	1.00	1.06	1.76
22	641	.93	1.17	0.30	0.00	1.15	1.25/-.-4.24	1.30	1.35	1.28	1.49	1.51	1.05	1.19	1.06
23	125	1.12	1.04	0.03	0.00	1.34	1.32	1.33/-.-1.40	1.34	1.03	1.37	1.06	1.31	1.29	1.21
24	10068	1.00	1.00	0.03	0.00	1.00	1.18	1.26	.95	1.17/-.-1.88	1.37	1.06	.96	1.29	1.14
25	30121	4.00	.82	0.03	0.00	0.95	1.18	1.18	1.00	1.32/-.-4.96	.82	.90	1.07	.99	1.61
26	30122	0.00	.86	0.03	0.00	1.13	1.29	.54	.91	1.03/-.-.63	.79	.96	.77	1.33	
27	30130	0.03	.62	0.03	0.00	1.31	1.04	.91	.95	.90/-.-.63	.82	.66	1.47		
28	30188	0.60	.97	0.03	0.00	1.36	1.17	1.36	.93	1.11	1.07	.96	.82/-.-.63	1.03	
29	30280	0.03	.74	0.04	0.00	1.13	1.06	1.12	1.03	1.12	.97	.75	.66	1.01/-.-.63	1.65
30	30600	0.03	1.26	0.00	0.00	1.20	1.69	1.05	1.47	1.41	1.61	1.26	1.44	1.29	1.58/-.-1.22
31	20264	0.03	.45	0.00	0.00	1.17	1.17	.98	.97	.84	.85	.82	.50	.80	.57
32	30939	0.03	.44	0.00	0.00	1.04	1.04	.91	.95	.90/-.-.63	.82	.66	.79	.99	1.26
33	30126	0.00	1.12	0.00	0.00	1.36	1.36	1.08	1.08	1.08	.56	.98	.96	1.35	1.30
34	30123	0.00	1.15	0.00	0.00	1.57	1.13	1.92	1.23	1.36	1.27	1.33	1.07	1.03	1.25
35	127	0.00	.74	0.00	0.00	1.15	1.15	.96	1.10	.66	1.06	1.05	1.01	.73	1.14
36	107	1.21	.96	0.00	0.00	1.25	1.10	1.17	1.03	.93	1.02	.39	.93	.44	1.61
37	116	1.32	1.12	0.00	0.00	1.42	1.39	1.20	1.36	1.78	1.79	.60	.79	.99	1.26
38	31061	0.00	.55	0.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	.56
39	31059	3.00	1.09	0.00	0.00	1.67	1.63	2.00	1.60	1.08	1.17	1.42	1.16	1.23	1.29
40	31344	0.00	.94	0.00	0.00	1.17	1.31	.93	1.17	.75	.70	.75	.70	.69	1.23

FIGURE D-1B

VALUES IN AND ABOVE DIAGONAL ARE RESIDUALS FROM LINEAR FIT  
VALUES BELOW DIAGONAL ARE RESIDUALS OF CONSTANT COORDINATES.

		LONGITUDE RESIDUALS METERS									
		LATITUDE RESIDUALS METERS									
		FROM LINEAR FIT									
STATION INDEX	STATION NO	31	32	33	34	35	36	37	38	39	40
1	14	.94	72.38	15.25	-5.72	174.10	-77.31	-1.38	-97.73	-105.12	50.61
2	19	2.04	0.00	0.00	1.61	1.21	1.52	1.65	1.13	1.04	1.65
3	21	.65	.55	0.00	1.28	1.90	1.81	1.95	1.36	2.41	2.12
4	23	1.11	1.36	0.00	1.33	1.20	1.43	1.37	.76	1.40	1.52
5	24	1.44	0.60	0.00	1.72	1.22	1.50	1.54	.65	1.65	1.47
6	112	.74	.71	1.40	1.10	.82	.95	1.07	.73	1.52	1.03
7	113	.90	0.00	0.00	1.34	.96	.98	1.15	.56	1.20	1.20
8	114	.74	0.00	0.00	1.07	.87	.94	1.23	.60	1.12	.91
9	118	1.01	0.00	0.00	1.17	1.33	1.64	1.86	.48	1.55	1.10
10	192	1.15	0.00	0.00	1.07	.92	1.26	1.54	.41	1.71	1.19
11	310	.70	.47	1.20	1.07	.92	.96	1.23	.76	1.40	1.04
12	320	.73	.73	1.13	1.09	1.02	1.11	1.31	.00	1.74	1.06
13	330	.74	.67	1.22	1.14	.97	1.00	1.24	.47	1.45	1.14
14	340	1.12	.85	1.18	1.32	1.07	1.36	1.41	1.13	1.68	1.30
15	20	0.03	0.00	0.03	0.00	0.00	1.69	1.61	0.00	0.00	0.00
16	22	0.00	0.00	0.00	0.00	0.00	1.22	1.32	0.00	0.00	0.00
17	105	.92	0.00	0.00	1.18	.76	.97	1.12	.56	1.17	1.06
18	195	0.00	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	196	0.00	0.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	27	1.25	0.00	0.00	1.60	1.21	1.25	1.43	.62	1.76	1.42
21	128	1.17	0.00	0.00	1.13	1.16	1.11	1.41	.64	1.65	1.35
22	641	1.06	0.00	0.00	1.31	1.03	1.17	1.20	0.00	2.17	1.16
23	125	1.22	.90	1.44	1.28	1.05	1.03	1.37	.78	1.62	1.23
24	1068	.84	1.12	.67	1.38	1.10	.93	1.03	.00	0.00	0.00
25	30121	.86	1.26	1.01	1.28	1.15	1.51	1.78	.70	1.06	1.19
26	30122	.84	.53	.98	1.33	1.05	1.27	1.45	.98	1.31	1.04
27	30130	.50	.60	1.01	1.07	.94	.54	1.60	.61	1.57	.65
28	30188	.81	.61	.98	1.03	1.02	1.02	1.57	1.17	1.19	1.24
29	30280	.59	1.07	1.44	1.25	.93	.86	2.05	0.00	1.26	.69
30	36600	1.70	1.31	1.71	1.55	1.16	1.66	1.91	.66	1.63	1.79
31	20284/-	.53	.71	1.00	1.11	.96	.43	1.68	.55	1.25	.87
32	30939/-	.70/-	1.15	1.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00
33	30126	.88	.96/-	-4.94	.78	0.00	0.00	0.00	0.00	0.00	0.00
34	30123	1.10	1.31	.77/-	-1.400	1.14	.86	2.39	0.00	1.60	1.26
35	127	.90	0.00	1.01/-	-4.58	.98	1.52	1.52	.68	1.37	1.05
36	1.67	.42	0.00	0.00	.73	-98/-	-4.23	1.27	.74	1.40	.83
37	116	1.67	0.00	0.00	2.37	1.50	1.27/-	-4.98	1.73	1.76	1.35
38	310b1	.55	0.00	0.00	0.00	.67	.72	1.70/-	-4.35	.40	0.00
39	31039	1.24	0.00	0.00	.99	1.19	1.38	1.64	3.0/-	-4.36	1.38
40	31314	.83	0.00	0.00	1.25	.91	.78	1.32	0.00	1.37/-	-4.89

FIGURE D-1C

LATITUDE RESIDUALS METERS  
VALUES UN AND ABOVE DIAGONAL ARE RESIDUALS FROM LINEAR FIT

STATION INDEX	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
STATION NO.	8	19	21	23	24	112	113	114	118	192	310	330	340	340	20	
LONGITUDE	-45.87	166.67	4.30	144.63-170.72	136.65-106.75-145.83	-68.76	-97.73	-68.01	-93.08-119.07-158.80							
LATITUDE	-23.22	-77.85	50.80	135.44-14.33	-34.67	32.28	61.28	76.54	30.38	44.40	44.73	34.11	21.52	-4.67	55.46	
1	8/	-4.80	1.74	.88	1.04	1.22	.94	.95	1.04	1.09	.97	.85	.83	.93	.92	
2	19	1.74/-1.51	1.58	1.74	1.78	1.53	1.59	1.71	1.60	1.57	1.56	1.62	1.56	1.43		
3	21	.88	1.58/-1.52	.90	1.02	.80	.69	.75	1.03	.84	.72	.66	.72	.69	.61	
4	23	1.03	1.73	.69/-1.73	1.15	.94	.91	1.27	1.10	.91	.85	.91	.96	.97		
5	24	1.20	1.77	1.01	1.12/-1.95	1.07	1.10	1.07	1.28	1.19	1.08	1.09	1.04	1.02	1.21	
6	112	.87	1.48	.68	.78	1.03/-1.68	.79	.99	1.04	.91	.88	.75	.65	1.04	.93	
7	113	.95	1.59	.69	.91	1.08	.62/-1.48	.77	.89	.77	.68	.56	.56	.69		
8	114	.83	1.69	.66	.86	.90	.59	.55	1.05	1.04	.72	.62	.78	.62	.76	
9	118	1.04	1.67	1.03	1.25	1.27	1.01	1.06	.97/-1.83	1.17	1.21	1.11	1.11	1.11	.74	
10	192	1.04	1.79	.83	1.09	1.15	.86	.88	.94	1.17/-1.74	.97	.88	.85	1.12	1.08	
11	310	.94	1.57	.76	.91	1.02	.66	.77	.68	1.18/-1.94	.53	.71	.77	.90	.90	
12	320	.85	1.58	.66	.84	1.09	.63	.67	.69	1.09	.88	.69/-1.52	.60	.81	.79	
13	330	.83	1.62	.71	.89	1.04	.58	.61	1.11	.85	.73	.59/-1.49	.59	.82	.82	
14	340	.91	1.55	.67	.98	.93	.84	.87	.78	1.08	1.09	.90	.78	.82/-1.73	.75	
15	20	.91	1.43	.80	.97	1.12	.79	.88	.73	.77	1.00	.90	.79	.79	.74/-1.74	
16	24	1.00	1.34	.78	.93	1.00	.71	.85	.72	.83	1.16	.85	.83	.75	.77	1.00
17	105	.85	1.64	.70	1.00	1.02	.70	.68	1.19	.93	.73	.76	.66	.66	.79	
18	195	.57	.38	.53	.49	.75	.50	.39	.53	.50	.53	.95	.51	.32	.32	
19	136	.82	.86	.59	.91	.89	.68	.73	.66	.70	1.02	.86	.91	.78	.54	
20	27	1.01	1.65	.94	1.04	1.02	.85	.86	.79	1.35	1.00	.90	.86	.79	.90	
21	128	1.21	1.92	.85	1.06	1.18	.82	.92	.82	1.66	1.02	.86	.92	.91	1.18	
22	641	1.10	1.90	.87	1.00	1.00	.99	1.01	1.03	1.14	.93	.88	.93	1.04	1.15	
23	125	1.05	1.90	.72	.97	1.01	.75	.81	.78	1.60	.94	.77	.67	.87	.99	
24	10068	.78	1.66	1.12	1.26	1.25	1.13	1.17	.89	1.26	1.12	1.27	1.18	.98	1.21	
25	30121	.87	1.47	.59	.66	.95	.69	.61	.77	1.16	.81	.57	.71	.77	.98	
26	30122	.46	1.42	.69	.68	.55	.53	.56	.90	.53	.57	.59	.52	.77	0.00	
27	30130	.76	1.65	.49	.77	.86	.45	.68	.50	1.18	.59	.55	.52	.42	.60	
28	30188	.68	1.60	.71	.65	.66	.69	.77	.60	1.20	.74	.57	.56	.54	.60	
29	30280	.70	1.29	.67	.49	.80	.59	.75	.65	1.03	.80	.53	.51	.57	.79	
30	30800	1.20	1.75	1.13	1.48	1.25	.93	1.00	1.17	1.41	1.04	.94	1.09	1.48	0.00	
31	20284	.79	1.65	.53	.74	.73	.46	.59	.48	1.16	.59	.61	.59	.44	.79	
32	30939	0.0C	0.66	.67	.55	0.00	1.19	0.00	0.00	0.00	.70	.56	.66	.71	0.00	
33	30126	0.00	0.00	0.00	0.00	0.41	0.00	0.00	0.00	0.00	.16	.63	.64	1.03	0.00	
34	30123	.94	1.11	.74	.64	.67	.79	.68	.66	1.26	.96	.82	.71	.79	.82	
35	127	1.07	1.51	.60	.94	.77	.62	.87	.58	1.25	.69	.68	.71	.78	.93	
36	31061	.38	.74	.69	.94	.70	.45	.40	.39	.52	.36	.36	.45	.46	0.00	
37	31039	1.21	1.61	.91	1.09	.95	1.01	.97	.99	1.47	1.02	.98	1.01	.92	0.00	
38	31314	.67	1.34	.72	1.11	.94	.60	.67	.77	1.27	.60	.75	.56	.67	.99	

FIGURE D-2A

DOUPLER NAVSAT SOLUTION

NSMC820907

LATITUDE RESIDUALS METERS  
VALUES ON AND ABOVE DIAGONAL ARE RESIDUALS FROM LINEAR FIT  
VALUES BELOW DIAGONAL ARE RESIDUALS FROM CONSTANT COORDINATES.

STATION INDEX	16	17	18	19	20	21	22	23	24	25	26	27	28	29
STATION NO.	22	195	196	27	128	641	125	10066	30121	30122	30130	30166	30260	30600
LONGITUDE	120.07	28.35	-64.75	110.54	141.13	-75.92	11.23	-114.29	-14.40	-78.42	-57.61	33.73	-156.00	-70.05
LATITUDE	14.99	-25.95	-64.77	-66.28	39.14	45.40	43.06	50.07	-7.91	-10	-25.30	35.00	21.31	-33.62
1	6	1.01	.86	.84	.82	1.11	1.23	1.17	1.07	.81	1.13	.46	.78	.76
2	1.9	1.34	1.66	.67	.88	1.68	1.94	1.91	1.90	1.71	1.54	1.49	1.66	1.85
3	.79	.72	.60	.61	.97	.86	.86	.72	1.12	.85	.75	.50	.87	.90
4	2.3	.93	1.62	.95	.92	1.05	1.06	1.00	.97	1.30	1.04	.68	.77	.94
5	2.4	1.08	1.04	.92	1.13	1.05	1.18	1.02	1.01	1.70	.97	.72	.66	.62
6	1.12	.85	.73	.73	.70	1.07	.86	1.04	.84	1.16	.76	.74	.67	.71
7	1.13	.85	.74	.86	.75	.91	.92	1.01	.82	1.44	.61	.82	.73	.78
8	1.14	.80	.84	.74	.71	.80	.86	1.11	.79	1.22	.76	.59	.50	.70
9	1.18	.84	1.19	.76	.73	1.45	1.66	1.14	1.60	1.43	1.20	.91	1.20	1.21
10	1.92	1.19	.93	.98	1.02	1.07	1.02	.96	.95	1.19	1.04	.72	.59	1.12
11	310	.86	.78	1.15	.92	.91	.88	.93	.77	1.40	.95	.82	.74	1.02
12	320	.84	.77	.97	.92	.93	.92	.93	.67	1.16	.76	.59	.52	.60
13	330	.77	.66	.77	.79	.90	.92	1.06	.73	1.22	.76	.55	.54	.55
14	340	.77	.95	.57	.68	.91	1.18	1.14	1.60	1.43	1.20	.91	1.20	1.32
15	20	1.00	.87	.43	.55	1.04	1.22	.97	1.00	1.19	1.04	.72	.59	1.12
16	22	-.75	.80	.84	.66	1.06	.95	1.01	.84	1.40	.95	.82	.74	1.02
17	105	-.75	-.52	.54	.63	.99	.98	1.05	.76	1.00	.80	.57	.63	.67
18	195	.66	-.42	-.58	.72	0.00	0.00	0.00	0.00	0.00	0.00	.00	.00	0.00
19	1.96	.65	.62	-.70	-.68	0.06	0.06	0.00	0.00	0.00	0.00	.00	.00	0.00
20	2.7	1.05	.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	1.28	.95	.98	0.06	0.03	1.08	1.08	1.05	1.05	1.09	1.01	.74	.65	.63
22	641	1.15	1.00	0.00	0.00	1.03	1.12	1.01	1.46	.90	1.07	1.06	1.01	1.18
23	1.25	.84	.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	.00	.00	0.00
24	1.068	0.00	.91	0.00	0.00	.98	1.21	1.04	1.02	1.06	1.50	.86	.97	1.12
25	3U121	0.00	.40	0.00	0.00	1.00	.67	.66	.90	1.48	.79	.85	.73	.86
26	3U122	0.00	.53	0.00	0.00	.74	1.04	.76	.62	.82	1.53	.55	.60	.48
27	3U130	0.00	.60	0.00	0.00	.64	1.06	.29	.51	.87	.81	.30	.96	.99
28	3U160	0.03	.54	0.00	0.00	.62	1.00	.96	.77	1.03	.03	.51	.90	.68
29	3U280	0.03	.58	0.00	0.00	.63	1.00	.33	.59	1.12	.06	.44	.59	.59
30	3U300	0.00	1.11	0.00	0.00	1.37	1.25	.98	1.26	1.36	1.12	1.00	1.17	1.22
31	20284	0.00	.69	0.00	0.00	.92	1.01	.42	.71	.92	.60	.61	.34	.65
32	3.939	0.00	.66	0.00	0.00	0.00	0.00	0.00	0.00	1.19	1.01	.77	.63	.65
33	30126	0.00	.54	0.00	0.00	.62	1.00	.96	.77	1.03	.03	.48	.59	.59
34	3U123	0.00	.69	0.00	0.00	.63	1.00	.02	.91	1.05	.73	.73	.60	.60
35	127	0.60	.81	0.00	0.00	.84	.91	.77	.84	.99	.51	.66	.63	.67
36	107	.92	.86	0.00	0.00	.99	.91	1.15	.82	1.03	.49	.72	.34	.73
37	116	1.08	.97	0.00	0.00	1.07	1.04	1.00	.99	1.57	.98	1.07	1.02	1.17
38	31061	0.00	.54	0.00	0.00	.11	.69	0.00	.58	.57	.21	.32	.48	.53
39	31039	0.03	1.19	0.00	0.00	1.19	1.35	.79	.97	1.22	.81	1.03	.99	1.13
40	31314	0.72	0.00	0.00	0.00	.87	1.15	.51	.87	.76	.51	.61	.73	.93

## DOPPLER NAVSAT SOLUTION

NGMC 620907

VALUES IN AND ABOVE DIAGONAL ARE RESIDUALS FROM LINEAR FIT  
VALUES BELOW DIAGONAL ARE RESIDUALS FROM CONSTANT COORDINATES.

		LATITUDE	RESIDUALS METERS		
STATION INDEX	31	32	33	34	35
STATION NO.	20284	30939	30126	30123	127
LONGITUDE	14.94	72.38	16.25	-5.72	174.11
LATITUDE	37.41	-7.26	-4.37	-15.94	52.73
1	8	.79	0.00	0.00	.94
2	19	1.65	0.00	0.00	1.20
3	21	.55	0.00	0.00	.93
4	23	.77	1.19	0.00	.79
5	24	.73	0.00	0.00	.68
6	112	.74	1.21	*.44	.79
7	113	.63	0.00	0.00	.86
8	114	.48	0.00	0.00	.89
9	118	1.16	0.69	0.00	1.26
10	192	.59	0.00	0.00	1.02
11	310	.75	*.89	.52	.67
12	320	.60	*.57	.63	.79
13	330	.56	*.66	.64	.84
14	340	.79	.76	1.04	.92
15	20	0.00	0.00	0.00	0.00
16	22	0.00	0.00	0.00	0.00
17	105	.72	0.00	0.00	.70
18	195	.60	0.00	0.00	0.00
19	196	0.00	0.00	0.00	0.00
20	27	.92	0.00	0.00	.98
21	128	1.01	0.66	0.00	1.00
22	641	*.43	0.00	0.00	1.10
23	125	.72	*.86	.36	1.09
24	10068	1.02	1.49	.98	1.09
25	30121	.65	1.01	1.16	.73
26	30122	.61	*.83	.73	.83
27	30130	*.34	*.73	*.58	.66
28	30188	*.59	*.69	*.67	.72
29	30280	.71	.73	.94	.79
30	30800	1.09	1.20	1.11	1.22
31	20284/-	*.39	*.65	*.63	*.89
32	30939/-	*.61/-	*.22	*.93	.97
33	30120	.63	*.92/-	*.74	*.93
34	30123	.78	*.96	*.92/-	*.72/-
35	127	.62	0.00	0.00	*.72/-
36	117	.51	0.00	0.00	*.69
37	116	.65	0.00	0.00	1.07
38	31061	.29	0.00	0.00	0.00
39	31039	.78	0.00	0.00	*.69
40	31314	.71	0.00	0.00	.91

FIGURE D-2C

HEIGHT RESIDUALS METERS  
VALUES UN AND ABOVE DIAGONAL ARE RESIDUALS FROM LINEAR FIT

STATION INDEX	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
STATION NO.	19	21	23	24	112	113	114	115	116	192	310	320	330	340	20	
LATITUDE	-45.87	166.67	4.36	144.63	-170.72	130.65	-106.75	-149.63	-60.76	-97.73	-68.01	-95.06	-119.07	-158.80	55.48	
LATITUDE	-23.22	-77.85	50.80	13.44	-14.33	-34.67	32.28	61.20	76.54	30.36	44.40	44.73	36.11	21.52	-6.67	
1	0/-.-.64	1.54	1.00	1.29	1.47	.68	1.01	1.18	1.26	.99	1.13	1.14	1.18	1.16		
2	1.19	1.56/-.-.43	1.65	1.74	1.84	1.53	1.74	1.77	1.85	1.80	1.74	1.62	1.76	1.66	1.62	
3	2.21	.99	1.65/-.-.46	1.13	1.37	.82	.78	1.05	1.56	1.11	.77	.99	1.10	1.05	.96	
4	2.23	1.15	1.68	1.01/-.-.46	20	1.35	1.05	1.06	1.52	1.84	1.36	1.14	1.57	1.43	.81	
5	2.24	1.31	1.71	1.30	1.35/-.-.45	24	1.24	1.45	1.75	2.08	1.53	1.86	1.67	1.39	1.32	
6	2.12	.88	1.53	.81	.87	1.06/-.-.45	.67	.99	1.47	1.09	.92	.94	1.06	1.01	.88	
7	2.13	.99	1.73	.78	.94	1.36/-.-.46	.19	1.13	1.51	1.01	.76	1.07	1.80	.93	.92	
8	2.14	.96	1.66	.72	.95	1.26	.76	1.79/-.-.47	.8	1.14	1.02	1.15	1.12	1.55	1.32	
9	2.16	1.24	1.66	1.21	1.30	1.51	1.25	1.23	1.13/-.-.47	12	1.36	1.69	1.11	1.51	1.04	
10	2.19	1.92	1.24	1.79	1.08	1.18	1.50	1.08	.98	.91	1.23/-.-.48	1.08	1.21	1.22	1.33	
11	3.10	.96	1.73	.77	1.06	1.47	.69	.75	.78	1.28	1.03/-.-.48	1.22	1.03	1.01	1.06	
12	3.20	1.00	1.56	1.56	1.07	1.37	.60	.84	.60	1.09	1.17	.77/-.-.48	1.09	1.07	1.26	
13	3.30	1.13	1.76	1.05	1.19	1.45	1.04	.93	.99	1.34	1.22	.93	1.06/-.-.48	1.25	1.31	
14	3.40	1.01	1.59	.95	.80	1.39	.63	.82	.90	1.13	1.12	.87	.97	1.04/-.-.48	.91	
15	2.0	1.13	1.55	.95	1.05	1.32	.77	.69	.96	.95	1.26	1.06	1.01	1.12	1.35	
16	2.2	1.17	1.65	1.11	.96	1.41	.66	.97	1.13	1.08	1.36	1.16	1.13	1.32	1.11	
17	1.05	.94	1.60	.74	1.09	1.22	.66	.63	.67	1.36	1.16	.70	.74	1.03	.84	
18	1.04	.64	.49	.69	.66	.88	.56	.75	.71	.63	.55	1.05	.57	.69	.67	
19	1.96	1.12	1.35	1.20	1.26	1.51	1.03	1.17	1.23	1.09	1.29	1.08	1.16	1.09	1.06	
20	2.27	1.11	1.97	.96	.95	1.38	1.00	.87	.94	1.37	1.17	.98	1.15	1.10	.90	
21	2.28	1.23	2.11	.99	1.30	1.55	1.10	1.07	1.00	1.94	1.30	.99	1.06	1.31	1.17	
22	6.41	1.07	2.02	.77	1.00	1.25	.91	.86	.97	1.21	1.06	.70	.75	1.12	.96	
23	1.25	1.21	2.07	1.02	1.24	1.48	1.01	1.02	.63	1.76	1.11	.92	.93	1.13	1.05	
24	10.68	.75	1.39	.88	.98	1.23	.64	.95	1.04	1.45	1.22	.85	.86	.63	.79	
25	30.121	1.11	1.63	1.11	1.18	1.61	.85	.67	.73	1.33	1.33	.96	.75	1.00	.64	
26	30.122	1.06	1.57	.87	1.01	1.14	.49	.91	.78	1.21	.93	.88	.88	.49	.71	
27	30.130	1.11	1.92	1.07	1.02	1.60	1.05	.75	.58	1.42	.91	.95	1.12	1.43	.75	
28	30.168	1.16	1.71	1.06	1.08	1.77	.93	.82	1.07	1.63	1.14	1.05	.83	1.09	.65	
29	30.260	.85	1.85	1.15	.83	1.56	.84	.55	.82	1.16	.93	.69	1.13	1.04	.61	
30	30.660	1.17	1.63	1.30	.96	1.48	.93	.85	.69	1.36	.88	.90	1.45	1.43	.00	
31	20.84	.95	1.98	.76	1.02	1.52	.52	.66	.60	1.26	.69	.52	.71	.65	.00	
32	30.939	0.00	0.00	.71	1.09	0.00	.44	0.00	0.00	0.00	1.03	1.21	1.03	.74	0.00	
33	30.126	0.00	0.60	0.00	0.00	0.00	.65	0.00	0.00	0.00	0.00	1.05	.83	1.09	0.00	
34	30.123	1.10	2.05	.86	1.56	1.50	.62	.75	1.05	1.21	1.24	.87	1.06	1.01	.78	
35	1.27	1.07	2.02	.65	.96	1.57	.61	.70	.43	1.33	.73	.69	1.00	.67	.00	
36	3.16	1.13	1.86	.89	1.22	1.44	1.05	.93	.82	2.02	1.18	.75	.92	1.07	1.04	
37	3.16	1.19	1.79	.89	1.25	1.50	1.09	1.00	1.00	2.13	1.36	.98	1.01	1.21	1.07	
38	31.661	.33	.74	.54	.51	1.29	.35	.42	.35	.12	.95	.73	.00	.30	.44	0.00
39	31.039	1.43	2.42	1.38	1.13	1.76	1.14	1.49	1.13	1.73	1.09	1.16	1.25	1.10	1.43	0.00
40	31.314	.92	1.91	.94	.47	.69	.69	.96	.96	1.48	.92	.88	.62	.72	.00	

FIGURE D-3A

VALUES UN AND ABOVE DIAGONAL ARE RESIDUALS FROM LINEAR FIT  
 VALEURS SÉJOURNÉES ET CI-DESSUS SONT LES RÉSIDUAUX DE LA MISE EN LINÉAIRE.

	HEIGHT RESIDUALS METERS											
	RESIDUALS OF CONSTANT COORDINATES.											
STATION INDEX	1	17	18	19	20	21	22	23	24	25	26	27
STATION NO	22	105	195	196	27	128	641	125	10068	30121	30122	30130
LONGITUDE	120.37	20.35	-64.05	110.54	141.13	-75.92	11.23	-114.29	-14.40	-70.42	-57.61	33.73
LATITUDE	14.99	-25.95	-64.77	-66.28	39.14	45.40	43.86	50.87	-7.91	-10	-25.30	35.00
1	8	1.36	.96	.69	1.12	1.15	1.37	1.08	1.25	.78	1.12	1.07
2	19	1.71	1.62	.53	1.40	1.97	2.16	2.02	2.07	1.74	1.92	1.57
3	21	1.20	.74	.88	1.30	.96	1.23	1.04	.92	1.13	.95	1.07
4	23	.90	1.17	1.50	1.02	1.69	1.23	1.26	1.19	1.19	1.03	1.11
5	24	1.41	1.35	1.06	1.55	1.38	1.08	1.29	1.49	1.25	1.61	1.02
6	112	1.06	.69	.76	1.12	1.02	1.32	.91	1.02	.70	.98	1.05
7	113	1.13	.84	.96	1.26	.87	1.27	.86	1.05	1.02	.68	1.13
8	114	1.67	1.17	.63	1.26	1.26	1.04	1.14	.97	1.06	.76	1.01
9	118	1.18	1.14	1.76	.79	1.19	1.62	1.98	1.71	2.07	1.45	1.45
10	192	1.58	1.21	.91	1.40	1.22	1.41	1.11	1.13	1.22	.98	1.21
11	310	1.24	.71	1.23	1.23	.98	1.07	.72	.94	.86	.77	.92
12	320	1.56	.99	.81	1.20	1.31	1.23	1.07	1.00	.90	1.08	.83
13	330	1.71	1.12	1.02	1.14	1.26	1.32	1.20	1.32	.94	.99	.74
14	340	1.44	.89	1.32	1.51	.97	1.56	1.06	1.06	.87	.64	.76
15	20	1.13	.99	1.36	1.17	1.20	2.34	1.36	1.92	0.00	0.00	0.00
16	22/-	1.34	1.16	1.25	1.44	1.35	2.46	1.47	1.35	0.00	0.00	0.00
17	105	1.09/-	.463	.92	.99	1.01	1.17	1.06	.97	.66	.75	1.06
18	195	.71	.61/-	.275	1.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	196	1.38	.95	1.42/-	.246	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	27	1.27	1.61	0.00	0.00/-	.95	1.37	.96	1.12	.94	.71	1.22
21	128	1.30	.98	0.00	0.00	1.19/-	1.400	1.46	1.24	.93	.99	1.43
22	641	1.15	.86	0.00	0.00	0.93	1.06/-	1.421	1.15	.84	.71	1.36
23	125	1.34	.97	0.00	0.00	1.11	1.09	1.07/-	1.400	.84	.77	.83
24	11066	0.00	.65	0.00	0.00	0.93	.84	.77	.82/-	.61	1.02	.63
25	30121	0.00	.74	0.00	0.00	.67	.93	.69	.60	.92/-	.65	.68
26	30122	0.00	.75	0.00	0.00	.96	.82	1.33	.74	.62	.78/-	.45
27	30130	0.00	.60	0.00	0.00	1.02	.39	.63	.81	.61	.79/-	.95
28	30168	0.00	.60	0.00	0.00	.89	1.11	.90	.76	.85	.77	.76
29	30260	0.00	.85	0.00	0.00	.51	.75	.67	.70	.73	.56	.54
30	30600	0.00	.81	0.00	0.00	.86	1.17	.93	1.00	1.31	.93	.91
31	20284	0.00	.47	0.00	0.00	.65	.90	.57	.61	.77	.64	.73
32	30359	0.00	.00	0.00	0.00	0.00	0.00	0.00	.67	.81	.69	.44
33	30126	0.00	.00	0.00	0.00	0.00	0.00	0.00	0.00	.73	.72	.59
34	30123	0.00	.77	0.00	0.00	.76	.90	.56	.62	.81	.77	.54
35	127	0.00	.72	0.00	0.00	.80	1.11	.82	.62	.99	.74	.73
36	147	1.44	.92	0.00	0.00	1.02	1.00	1.00	.97	1.03	.50	1.18
37	146	1.15	.95	0.00	0.00	1.00	1.12	.80	1.16	1.46	1.31	1.52
38	31061	0.00	.38	0.00	0.00	.32	.53	0.00	.42	.33	.54	.42
39	31039	0.00	1.10	0.00	0.00	1.46	1.64	1.01	1.18	1.43	1.25	1.37
40	31314	0.00	.67	0.00	0.00	.92	1.08	.55	1.00	.69	.79	.67

## DOPPLER NAVSAT SOLUTION


NSWC 620907

VALUES ON AND ABOVE DIAGONAL ARE RESIDUALS FROM LINEAR FIT  
VALUES BELOW DIAGONAL ARE RESIDUALS FROM CONSTANT COORDINATES.

		HEIGHT	RESIDUALS METERS							
SATION INDEX	31	32	33	34	35	36	37	38	39	40
STATION NO	20284	30939	30126	30123	1.27	1.07	1.16	31061	31039	31314
LONGITUDE	14° 94'	72° 36'	15° 25'	-5° 72'	174° 16'	-77° 31'	-1° 36'	-97° 73'-165° 12'	50° 61'	26° 21'
LATITUDE	37° 41'	-7° 26'	-4° 37'	-15° 94'	52° 73'	39° 00'	51° 18'	30° 38'	69° 12'	31° 00'
1	8	1.01	0.00	0.00	1.12	1.17	1.21	1.21	1.73	1.05
2	19	1.99	4.00	0.00	2.06	2.37	1.66	1.61	1.17	2.44
3	21	1.76	1.94	0.00	1.17	0.66	0.89	0.62	1.39	1.01
4	23	1.02	1.30	0.00	1.61	0.96	1.22	1.25	0.57	1.20
5	24	1.55	0.00	0.00	1.61	1.57	1.44	1.51	1.52	1.59
6	112	1.71	1.69	1.71	1.20	1.90	1.05	1.09	1.19	0.84
7	113	1.74	0.00	0.00	1.06	1.70	1.93	1.08	1.49	0.69
8	114	1.68	0.00	1.60	1.26	1.43	1.63	1.12	1.53	1.16
9	118	1.30	0.00	0.00	1.30	1.34	2.07	2.16	1.32	1.75
10	192	1.77	0.00	0.00	1.54	1.73	1.19	1.39	1.01	1.13
11	310	1.53	1.29	1.54	0.69	1.73	1.82	1.04	1.85	1.16
12	320	1.76	1.27	1.69	1.21	1.15	1.94	1.04	0.00	1.32
13	330	1.64	1.05	1.46	1.06	1.45	1.27	1.37	1.35	1.56
14	340	1.65	1.74	1.63	1.03	1.07	1.05	1.07	1.59	1.43
15	20	0.00	0.00	0.00	0.00	0.00	1.57	1.35	0.00	0.00
16	22	0.80	0.00	0.00	0.00	0.00	1.50	1.24	0.00	0.00
17	105	1.47	0.06	0.00	0.00	0.00	1.76	1.97	1.15	1.77
18	195	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	196	0.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	27	1.85	0.00	0.00	1.04	0.60	1.03	1.01	1.49	1.46
21	126	1.94	0.00	0.00	1.95	1.11	1.01	1.14	1.64	1.65
22	641	1.56	0.00	0.00	0.50	0.82	1.00	1.01	1.02	1.56
23	125	1.62	1.82	1.70	1.01	1.62	1.97	1.17	1.55	1.19
24	10066	1.84	0.81	1.85	1.10	1.01	1.04	1.49	1.34	1.00
25	30121	1.64	1.95	1.73	1.61	1.79	1.53	1.32	1.54	0.81
26	30122	1.73	1.45	1.61	1.95	1.10	1.23	1.55	1.17	1.26
27	30130	1.77	1.53	1.55	1.25	1.54	1.90	1.53	1.76	1.49
28	30168	1.89	1.04	1.93	1.16	1.93	1.16	1.66	1.95	1.49
29	30280	1.67	1.74	1.55	1.74	1.64	1.71	1.99	0.00	1.53
30	30800	1.90	1.51	1.33	1.26	1.90	1.94	1.40	1.59	1.23
31	20284/-	1.58	1.63	1.62	1.86	1.61	1.84	1.41	1.57	1.23
32	30939/-	1.61/-	1.42/-	1.64	1.46	1.00	0.00	0.00	0.00	0.00
33	30126	1.61	1.61/-	1.50/-	1.60	1.00	0.00	0.00	0.00	0.00
34	30123	1.79	1.45	1.85/-	1.40/-	1.14	1.09	1.52	0.00	1.63
35	127	1.56	0.60	0.00	0.92/-	1.28	0.77	1.31	1.62	1.16
36	107	1.73	0.00	0.00	1.00	1.73/-	1.83	1.09	1.68	1.00
37	116	1.41	0.00	0.00	1.50	1.30	1.09/-	1.65/-	1.69	1.41
38	31051	1.41	0.00	0.00	1.13	0.61	1.36	1.65/-	1.32	0.00
39	31039	1.22	0.00	0.00	1.62	1.13	1.99	1.64	1.45	1.41
40	31314	1.60	0.00	0.00	0.96	1.01	1.40	0.00	1.36/-	0.83

FIGURE D-3C

**APPENDIX E**  
**INTRA-PLATE RELATIVE MOTIONS**



DOPPLER NAVSAT SOLUTION

NSWC820907

INTRA PLATE DEFORMATIONS  
NO AMERICA PLATE

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
113	NEW MEXICO	114	ALASKA	-5.1	-10.9	-25.5	1.8	1.6	1.9
113	NEW MEXICO	118	GREENLAND	10.8	9.5	-29.2	3.7	3.5	4.0
113	NEW MEXICO	192	TEXAS	-6.5	4.5	-8.2	3.1	2.4	2.6
113	NEW MEXICO	313	MAINE	-5.6	-3.1	3.5	2.3	1.8	1.8
113	NEW MEXICO	320	MINNESOTA	-10.6	2.1	-20.7	2.0	1.6	2.0
113	NEW MEXICO	330	CALIFORNIA	-8.6	4.8	-11.6	1.7	1.3	2.2
113	NEW MEXICO	128	OTTAWA	-13.4	2.0	-43.7	5.2	4.8	5.6
113	NEW MEXICO	125	CALGARY	-36.4	-4.3	19.3	7.8	5.4	6.7
113	NEW MEXICO	107	VIRGINIA	-6.9	-7.5	4.4	8.6	7.0	8.2
114	ALASKA	118	GREENLAND	16.3	14.0	-5.8	3.6	3.2	3.8
114	ALASKA	192	TEXAS	1.5	15.5	16.9	3.3	2.6	2.5
114	ALASKA	310	MAINE	1.4	7.4	28.1	2.8	1.7	1.9
114	ALASKA	320	MINNESOTA	-5.9	13.7	4.2	2.3	1.7	2.0
114	ALASKA	330	CALIFORNIA	-1.9	15.6	17.0	1.9	1.5	2.4
114	ALASKA	128	OTTAWA	-6.0	18.3	-20.5	5.9	4.5	5.4
114	ALASKA	125	CALGARY	-36.7	11.8	39.4	6.5	5.4	5.8
114	ALASKA	107	VIRGINIA	-15.1	.6	14.8	8.3	7.8	7.4
118	GREENLAND	192	TEXAS	-16.8	.3	20.0	4.7	4.3	4.5
118	GREENLAND	310	MAINE	-15.2	-8.6	36.1	4.2	3.8	4.1
118	GREENLAND	320	MINNESOTA	-22.4	-6.4	7.6	4.2	3.8	3.8
118	GREENLAND	330	CALIFORNIA	-18.8	-3.2	23.1	3.5	3.6	4.3
118	GREENLAND	128	OTTAWA	-15.4	7.4	-20.2	8.8	9.3	10.9
192	TEXAS	310	MAINE	3.7	-8.8	11.7	3.5	2.6	2.9
192	TEXAS	320	MINNESOTA	-3.4	-1.1	-11.3	3.3	2.5	3.3
192	TEXAS	330	CALIFORNIA	-2.1	.4	.5	3.2	2.4	3.4
192	TEXAS	128	OTTAWA	-13.1	-4.4	-37.6	7.7	5.9	7.5
192	TEXAS	125	CALGARY	-41.6	-7.8	18.6	9.5	6.6	7.8
310	MAINE	320	MINNESOTA	-6.1	6.1	-23.1	2.5	1.7	2.0
310	MAINE	330	CALIFORNIA	-3.4	8.5	-13.3	2.4	1.8	2.3
310	MAINE	128	OTTAWA	-13.1	14.6	-29.1	6.5	4.8	5.6
310	MAINE	125	CALGARY	-28.5	7.6	16.3	9.9	5.8	6.9
310	MAINE	107	VIRGINIA	9.5	-7.0	33.5	8.6	6.1	6.7
320	MINNESOTA	330	CALIFORNIA	1.1	2.2	7.8	2.2	1.5	2.7
320	MINNESOTA	128	OTTAWA	-1.1	-.8	-39.0	6.5	4.9	5.6
320	MINNESOTA	125	CALGARY	-35.0	-9.7	24.7	5.7	4.6	5.1
330	CALIFORNIA	128	OTTAWA	-7.8	-7.0	-12.2	5.4	4.7	6.8
330	CALIFORNIA	125	CALGARY	-41.2	-18.7	46.3	5.4	3.7	6.3
330	CALIFORNIA	107	VIRGINIA	-6.5	-15.6	73.0	9.2	6.8	9.9
128	OTTAWA	125	CALGARY	-26.9	-11.0	51.7	9.9	7.6	8.2
128	OTTAWA	107	VIRGINIA	15.5	-5.6	16.4	9.6	8.0	8.7

WEIGHTED MEAN OF ABSOLUTE RATES -4.7 1.2 .3

STANDARD ERROR OF WEIGHTED MEAN .7 .5 .8

DOPPLER NAVSAT SOLUTION NSWC820907

FIGURE E-1

INTRA PLATE DEFORMATIONS  
SOUTH AMERICA PLATE

REF STA LOCATION TO STA LOCATION	RATES (CM/YR)			STANDARD ERRORS		
	LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
WEIGHTED MEAN OF ABSOLUTE RATES	-4.1	4.0	7.0			
STANDARD ERROR OF WEIGHTED MEAN	2.8	1.9	2.0			
DOPPLER NAVSAT SOLUTION	NSMC820907					

INTRA PLATE DEFORMATIONS  
PACIFIC PLATE

REF STA LOCATION TO STA LOCATION	RATES (CM/YR)			STANDARD ERRORS		
	LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
24 SAMOA 340 HAWAII	3.2	-12.8	-2.5	3.6	2.4	3.6
WEIGHTED MEAN OF ABSOLUTE RATES	-14.7	2.3	26.4			
STANDARD ERROR OF WEIGHTED MEAN	1.9	1.3	2.0			
DOPPLER NAVSAT SOLUTION	NSMC820907					

INTRA PLATE DEFORMATIONS  
EUROASIAN PLATE

REF STA LOCATION TO STA LOCATION	RATES (CM/YR)			STANDARD ERRORS		
	LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
21 BELGIUM 27 JAPAN	-5.8	-9.8	2.6	3.2	2.8	2.8
21 BELGIUM 641 ITALY	3.5	4.0	-5	5.1	4.5	4.8
27 JAPAN 641 ITALY	11.9	18.0	-18.3	6.2	5.6	5.1
20130 CYPRUS 20284 CATANIA	6.4	-2.6	9.3	6.7	6.6	10.3
WEIGHTED MEAN OF ABSOLUTE RATES	1.5	.8	12.9			
STANDARD ERROR OF WEIGHTED MEAN	1.2	.9	1.2			
DOPPLER NAVSAT SOLUTION	NSMC820907					

INTRA PLATE DEFORMATIONS  
PHILIPPINE PLATE

REF STA LOCATION TO STA LOCATION	RATES (CM/YR)			STANDARD ERRORS		
	LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
23 GUAM 22 PHILLIPINES	11.3	1.8	.3	4.2	3.4	3.5
WEIGHTED MEAN OF ABSOLUTE RATES	-3.5	-5	27.9			
STANDARD ERROR OF WEIGHTED MEAN	1.8	1.5	2.4			
DOPPLER NAVSAT SOLUTION	NSMC820907					

INTRA PLATE DEFORMATIONS  
AUSTRALIAN PLATE

REF STA LOCATION TO STA LOCATION	RATES (CM/YR)			STANDARD ERRORS		
	LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
WEIGHTED MEAN OF ABSOLUTE RATES	-5.5	17.0	7.1			
STANDARD ERROR OF WEIGHTED MEAN	1.5	1.6	1.3			
DOPPLER NAVSAT SOLUTION	NSMC820907					

INTRA PLATE DEFORMATIONS  
ANTARCTIC PLATE

REF STA LOCATION TO STA LOCATION	RATES (CM/YR)			STANDARD ERRORS		
	LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
WEIGHTED MEAN OF ABSOLUTE RATES	-1.3	.7	9.2			
STANDARD ERROR OF WEIGHTED MEAN	4.1	4.1	4.0			
DOPPLER NAVSAT SOLUTION	NSMC820907					

INTRA PLATE DEFORMATIONS  
AFRICAN PLATE

REF STA LOCATION TO STA LOCATION	RATES (CM/YR)			STANDARD ERRORS		
	LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
20 SEYCHELLES 105 SO AFRICA	3.2	10.9	-3.7	4.1	3.1	3.9
WEIGHTED MEAN OF ABSOLUTE RATES	-1.5	5.6	15.7			
STANDARD ERROR OF WEIGHTED MEAN	1.4	1.3	1.5			
DOPPLER NAVSAT SOLUTION	NSMC820907					

FIGURE E-2

**APPENDIX F**  
**INTER-PLATE RELATIVE MOTIONS**

DOPPLER NAVSAT SOLUTION

NSWC820907

**RELATIVE PLATE MOTIONS  
FROM NO AMERICA TO EURASIAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
113	NEW MEXICO	27	JAPAN	-3.9	-11.5	1.6	3.1	2.5	2.5
113	NEW MEXICO	641	ITALY	11.3	.1	-2.3	5.5	5.1	4.4
114	ALASKA	27	JAPAN	4.2	5.1	29.2	3.2	2.4	2.8
114	ALASKA	641	ITALY	26.8	19.7	28.8	6.0	5.8	5.4
118	GREENLAND	27	JAPAN	-15.7	-18.7	30.6	4.7	5.1	5.2
118	GREENLAND	641	ITALY	-5.8	.1	51.2	9.2	8.5	9.0
192	TEXAS	27	JAPAN	-4.7	-16.1	14.7	4.4	3.6	4.2
192	TEXAS	641	ITALY	3.4	-12.1	11.2	7.6	5.4	6.3
310	MAINE	27	JAPAN	-5.4	-2.3	.7	3.7	2.8	3.0
310	MAINE	641	ITALY	-2.0	14.7	8.0	6.8	4.9	3.9
320	MINNESOTA	27	JAPAN	2.8	-13.5	23.6	3.5	2.7	3.6
320	MINNESOTA	641	ITALY	18.2	-2.3	7.1	5.9	4.8	3.9
320	MINNESOTA	30130	CYPRUS	7.7	-1.4	30.5	9.3	7.3	15.8
320	MINNESOTA	20284	CATANIA	26.0	4.7	25.8	9.3	8.1	9.6
330	CALIFORNIA	27	JAPAN	6.3	-17.0	18.7	3.4	2.4	3.4
330	CALIFORNIA	641	ITALY	14.4	-8.2	20.3	5.9	5.4	5.8
128	OTTAWA	641	ITALY	18.3	-.7	53.2	7.5	6.8	6.4
113	NEW MEXICO	21	BELGIUM	.6	1.0	-.2	2.0	1.6	1.8
114	ALASKA	21	BELGIUM	6.7	12.3	25.0	2.3	1.6	1.7
118	GREENLAND	21	BELGIUM	-9.6	-4.0	34.2	3.7	3.3	4.0
192	TEXAS	21	BELGIUM	5.9	-4.9	9.1	3.4	2.3	3.0
310	MAINE	21	BELGIUM	5.6	4.8	-2.2	2.4	1.7	1.8
320	MINNESOTA	21	BELGIUM	11.1	-1.8	20.5	2.3	1.6	1.8
330	CALIFORNIA	21	BELGIUM	9.9	-3.8	11.3	2.2	1.7	2.5
128	OTTAWA	21	BELGIUM	16.2	-9.8	48.4	5.8	4.4	5.1
128	OTTAWA	27	JAPAN	10.4	-8.4	45.6	6.7	5.9	6.4
125	CALGARY	21	BELGIUM	40.4	-.7	-15.8	7.8	4.6	6.5
125	CALGARY	27	JAPAN	40.8	-4.3	-12.9	9.1	6.0	7.5
125	CALGARY	641	ITALY	70.2	7.7	-23.9	9.6	8.1	7.8
107	VIRGINIA	21	BELGIUM	12.3	-6.8	-.2	7.9	7.0	7.7

FIGURE F-1

AD-A120 534 CURRENT PLATE MOTIONS BASED ON DOPPLER SATELLITE 272  
OBSERVATIONS(U) NAVAL SURFACE WEAPONS CENTER DAHLGREN  
VA R J ANDERLE ET AL. SEP 82 NSWC/TR-82-369


UNCLASSIFIED

F/G 22/3

NL



END  
FOOTER  
S.  
DNG.



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

DOPPLER NAVSAT SOLUTION

NSWC820907

**RELATIVE PLATE MOTIONS  
FROM NG AMERICA TO SU AMERICA**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
113	NEW MEXICO	8	BRAZIL	-2.4	4.4	-5.4	3.1	2.3	2.4
114	ALASKA	8	BRAZIL	1.4	14.7	21.6	3.2	2.1	2.5
118	GREENLAND	8	BRAZIL	-19.0	-1.9	26.3	4.7	3.7	4.4
192	TEXAS	8	BRAZIL	.5	-1.9	6.5	4.7	3.1	3.5
310	MAINE	8	BRAZIL	2.9	8.3	-7.1	3.9	2.4	2.4
320	MINNESOTA	8	BRAZIL	7.0	1.0	16.1	3.5	2.2	2.6
330	CALIFORNIA	8	BRAZIL	4.5	-1.2	3.8	3.3	2.1	2.9
128	OTTAWA	8	BRAZIL	1.0	13.8	40.8	9.7	7.3	7.5

**RELATIVE PLATE MOTIONS  
FROM NO AMERICA TO PACIFIC**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
113	NEW MEXICO	340	HAWAII	-14.1	-3.7	14.1	2.4	2.1	2.0
114	ALASKA	340	HAWAII	-8.5	8.0	40.3	2.6	1.9	2.2
118	GREENLAND	340	HAWAII	-25.4	-8.8	43.6	4.2	3.6	4.0
192	TEXAS	340	HAWAII	-6.3	-7.9	24.7	3.8	3.0	3.1
310	MAINE	340	HAWAII	-9.4	1.2	11.0	3.2	2.2	2.1
320	MINNESOTA	340	HAWAII	-4.0	-6.1	34.4	2.8	2.0	2.5
330	CALIFORNIA	340	HAWAII	-4.7	-8.7	25.7	2.6	2.0	2.6
113	NEW MEXICO	24	SAMOA	-18.0	6.5	16.0	3.3	2.5	3.3
114	ALASKA	24	SAMOA	-11.7	18.9	39.9	3.6	2.3	3.2
118	GREENLAND	24	SAMOA	-30.0	3.9	51.2	5.2	4.9	5.8
192	TEXAS	24	SAMOA	-11.5	2.6	25.6	4.3	3.4	4.3
310	MAINE	24	SAMOA	-12.8	10.9	14.0	3.6	2.6	3.7
320	MINNESOTA	24	SAMOA	-8.7	3.2	39.4	3.4	2.8	3.5
330	CALIFORNIA	24	SAMOA	-18.6	1.0	27.2	3.5	2.6	3.6
128	OTTAWA	24	SAMOA	3.9	-4.7	60.0	8.4	6.3	8.2
128	OTTAWA	340	HAWAII	6.7	-1.4	62.1	6.8	6.0	6.0
125	CALGARY	24	SAMOA	28.0	1.3	18.4	9.9	6.5	9.7
125	CALGARY	340	HAWAII	38.2	-2.6	9.7	7.2	4.9	6.0

**RELATIVE PLATE MOTIONS  
FROM NO AMERICA TO PHILIPPINE**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
113	NEW MEXICO	22	PHILIPINES	-.1	-.5	16.2	3.8	2.7	3.1
114	ALASKA	22	PHILIPINES	4.3	18.4	37.1	3.0	2.6	4.8
118	GREENLAND	22	PHILIPINES	-7.9	2.5	24.8	6.8	5.2	7.9
192	TEXAS	22	PHILIPINES	13.9	-5.4	25.9	5.0	4.8	5.5
310	MAINE	22	PHILIPINES	7.5	1.8	11.1	4.1	2.9	4.0
320	MINNESOTA	22	PHILIPINES	12.2	-2.6	31.1	3.1	2.8	3.8
330	CALIFORNIA	22	PHILIPINES	8.0	-4.5	31.0	3.3	2.5	4.5
113	NEW MEXICO	23	GUAM	-11.1	-1.2	16.0	2.7	2.3	2.3
114	ALASKA	23	GUAM	-5.0	9.8	40.3	2.9	2.2	2.4
118	GREENLAND	23	GUAM	-20.9	-6.7	44.3	4.5	4.3	4.5
192	TEXAS	23	GUAM	-4.0	-4.9	25.1	4.1	3.2	3.5
310	MAINE	23	GUAM	-5.3	2.4	14.5	3.4	2.3	2.8
320	MINNESOTA	23	GUAM	-.3	-3.2	37.9	3.2	2.2	2.8
330	CALIFORNIA	23	GUAM	-1.7	-6.5	27.1	2.9	2.3	3.1
128	OTTAWA	23	GUAM	7.4	-2.8	70.6	7.5	5.7	6.9
128	OTTAWA	22	PHILIPINES	12.7	-5.1	82.6	6.8	5.4	7.3
125	CALGARY	23	GUAM	36.8	.1	14.0	8.0	6.2	7.9
125	CALGARY	22	PHILIPINES	56.2	.5	16.1	8.0	6.0	9.3

FIGURE F-2

DOPPLER NAVSAT SOLUTION

NSWC820907

**RELATIVE PLATE MOTIONS  
FROM NO AMERICA TO AUSTRALIAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
113	NEW MEXICO	112	AUSTRALIA	-7.0	15.2	-5.2	1.7	1.5	2.1
114	ALASKA	112	AUSTRALIA	-.2	25.8	20.4	2.1	1.5	1.9
116	GREENLAND	112	AUSTRALIA	-18.2	6.6	26.2	3.8	3.4	4.2
192	TEXAS	112	AUSTRALIA	1.0	18.7	4.2	3.3	2.4	3.1
310	MAINE	112	AUSTRALIA	-2.1	19.2	-7.4	2.3	1.7	2.2
320	MINNESOTA	112	AUSTRALIA	3.8	13.8	15.8	2.3	1.6	2.1
330	CALIFORNIA	112	AUSTRALIA	1.3	9.3	6.1	1.9	1.4	2.6
128	OTTAWA	112	AUSTRALIA	7.3	14.9	47.2	5.4	4.4	5.8
125	CALGARY	112	AUSTRALIA	34.8	27.0	-9.2	6.3	4.6	6.2
107	VIRGINIA	112	AUSTRALIA	1.7	32.1	-6.9	8.4	6.3	9.2

**RELATIVE PLATE MOTIONS  
FROM NO AMERICA TO AFRICAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
113	NEW MEXICO	20	SEYCHELLES	-5.6	-4.1	6.9	3.5	3.3	3.4
113	NEW MEXICO	105	SO AFRICA	-.7	7.9	4.8	2.8	1.8	2.2
114	ALASKA	20	SEYCHELLES	-1.0	9.4	38.9	3.9	3.1	4.2
114	ALASKA	105	SO AFRICA	3.1	17.0	27.5	2.0	1.9	2.4
116	GREENLAND	20	SEYCHELLES	-14.0	-6.6	23.2	7.6	6.1	7.5
116	GREENLAND	105	SO AFRICA	-11.8	2.1	35.9	4.1	4.0	4.5
192	TEXAS	20	SEYCHELLES	9.2	-14.9	16.7	6.4	4.7	6.8
192	TEXAS	105	SO AFRICA	8.1	1.9	14.8	3.6	2.9	3.6
310	MAINE	20	SEYCHELLES	.4	-4	2.2	4.7	3.5	4.1
310	MAINE	105	SO AFRICA	7.4	10.2	3.3	2.6	2.0	1.9
320	MINNESOTA	20	SEYCHELLES	4.6	-3.2	25.3	4.1	3.2	4.1
320	MINNESOTA	105	SO AFRICA	10.0	4.5	22.7	2.3	2.1	2.8
330	CALIFORNIA	20	SEYCHELLES	3.3	-7.9	22.1	3.3	3.1	4.4
330	CALIFORNIA	105	SO AFRICA	6.4	2.9	15.9	2.8	1.8	2.8
128	OTTAWA	20	SEYCHELLES	18.9	-7.4	71.1	8.8	7.0	8.2
128	OTTAWA	105	SO AFRICA	16.5	2.9	43.8	5.9	5.5	5.5
125	CALGARY	105	SO AFRICA	31.8	11.4	-.1	7.6	5.6	7.0
107	VIRGINIA	105	SO AFRICA	10.9	6.1	-11.3	8.4	7.5	8.1

**RELATIVE PLATE MOTIONS  
FROM NO AMERICA TO ANTARCTIC**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
113	NEW MEXICO	19	MCMURDO	2.2	1.7	-5.3	4.7	4.4	4.8
114	ALASKA	19	MCMURDO	6.8	9.8	21.5	4.7	4.7	4.6
116	GREENLAND	19	MCMURDO	-18.9	-9.1	26.6	6.1	5.8	5.8
192	TEXAS	19	MCMURDO	18.5	-5.3	4.8	5.9	5.8	5.8
310	MAINE	19	MCMURDO	7.7	4.1	-8.5	5.3	4.5	5.8
320	MINNESOTA	19	MCMURDO	9.8	1.3	14.9	5.1	4.7	4.6
330	CALIFORNIA	19	MCMURDO	8.5	-1.2	-.8	4.9	4.6	5.8

FIGURE P-3

DOPPLER NAVSAT SOLUTION

NSWC820907

**RELATIVE PLATE MOTIONS  
FROM EURASIAN TO PHILIPPINE**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
21	BELGIUM	23	GUAM	-10.3	-2.9	17.8	2.8	2.3	2.6
21	BELGIUM	22	PHILIPINES	-2.5	-2.9	13.4	3.4	2.6	3.7
27	JAPAN	23	GUAM	-9.2	6.8	14.3	4.1	3.3	3.8
27	JAPAN	22	PHILIPINES	6.1	2.8	16.5	3.7	3.9	4.7
641	ITALY	23	GUAM	-20.0	2.1	32.3	7.0	5.5	5.4
641	ITALY	22	PHILIPINES	-13.6	-7.5	32.9	6.5	6.9	8.0

DOPPLER NAVSAT SOLUTION NSWC820907

**RELATIVE PLATE MOTIONS  
FROM EURASIAN TO AUSTRALIAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
21	BELGIUM	112	AUSTRALIA	-6.4	13.7	-6.8	1.8	1.7	2.0
27	JAPAN	112	AUSTRALIA	.8	25.1	-8.2	3.4	2.6	3.8
641	ITALY	112	AUSTRALIA	-15.8	14.6	.1	5.7	5.3	6.9
116	ENGLAND	112	AUSTRALIA	-11.1	35.1	-4.1	9.8	8.3	10.8

DOPPLER NAVSAT SOLUTION NSWC820907

**RELATIVE PLATE MOTIONS  
FROM EURASIAN TO ANTARCTIC**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
21	BELGIUM	19	MCMURDO	-.6	.1	-3.5	5.8	4.4	4.6
27	JAPAN	19	MCMURDO	1.4	13.9	-5.3	7.4	7.0	7.4

DOPPLER NAVSAT SOLUTION NSWC820907

**RELATIVE PLATE MOTIONS  
FROM EURASIAN TO AFRICAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
21	BELGIUM	20	SEYCHELLES	-8.3	-6.9	4.6	3.6	3.1	3.7
21	BELGIUM	105	SO AFRICA	-3.1	6.2	2.5	2.4	1.9	2.0
27	JAPAN	20	SEYCHELLES	-3.1	4.8	9.3	5.6	4.3	4.9
27	JAPAN	105	SO AFRICA	.9	10.8	-5.5	4.3	3.9	4.1
641	ITALY	20	SEYCHELLES	-14.5	-17.2	11.1	7.7	7.3	8.9
641	ITALY	105	SO AFRICA	-9.2	2.4	.0	6.4	5.7	6.7
116	ENGLAND	105	SO AFRICA	-3.5	11.9	-16.1	9.9	8.6	8.4

**RELATIVE PLATE MOTIONS  
FROM AUSTRALIAN TO ANTARCTIC**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
112	AUSTRALIA	19	MCMURDO	9.5	-12.9	4.1	4.3	4.3	4.4

DOPPLER NAVSAT SOLUTION NSWC820907

**RELATIVE PLATE MOTIONS  
FROM AUSTRALIAN TO AFRICAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
112	AUSTRALIA	20	SEYCHELLES	-2.3	-16.8	14.4	4.1	3.4	3.3
112	AUSTRALIA	105	SO AFRICA	6.7	-8.1	6.4	2.1	1.8	1.8

**RELATIVE PLATE MOTIONS  
FROM ANTARCTIC TO AFRICAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
19	MCMURDO	20	SEYCHELLES	-12.0	2.9	10.1	7.0	7.9	8.6
19	MCMURDO	105	SO AFRICA	-1.1	9.2	6.9	5.3	5.3	5.2

FIGURE F-4

DOPPLER NAVSAT SOLUTION NSNC028987

RELATIVE PLATE MOTIONS  
FROM SO AMERICA TO PACIFIC

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
0 BRAZIL 24 SAMOA	-12.6	5.7	20.9	4.3	3.1	3.6	
0 BRAZIL 348 HAWAII	-9.6	-5.5	10.6	3.3	2.3	2.6	
DOPPLER NAVSAT SOLUTION		NSNC028987					

RELATIVE PLATE MOTIONS  
FROM SO AMERICA TO EURASIAN

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
0 BRAZIL 21 BELGIUM	6.1	-2.1	3.1	3.2	2.2	2.5	
0 BRAZIL 27 JAPAN	-6.4	-17.0	11.0	4.6	3.1	3.6	
0 BRAZIL 661 ITALY	28.0	-7.6	6.0	9.7	7.1	6.5	
DOPPLER NAVSAT SOLUTION		NSNC028987					

RELATIVE PLATE MOTIONS  
FROM SO AMERICA TO PHILIPPINE

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
0 BRAZIL 23 GUAM	-9.9	-5.1	19.6	3.7	2.7	3.8	
0 BRAZIL 22 PHILIPINES	2.4	-3.6	21.2	3.9	3.6	4.2	
DOPPLER NAVSAT SOLUTION		NSNC028987					

RELATIVE PLATE MOTIONS  
FROM SO AMERICA TO AUSTRALIAN

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
0 BRAZIL 112 AUSTRALIA	-2.5	11.7	0.2	3.8	2.2	2.8	
DOPPLER NAVSAT SOLUTION		NSNC028987					

RELATIVE PLATE MOTIONS  
FROM SC AMERICA TO ANTARCTIC

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
0 BRAZIL 19. RICARDO	2.6	1.7	-1.0	5.9	5.2	4.6	
DOPPLER NAVSAT SOLUTION		NSNC028987					

RELATIVE PLATE MOTIONS  
FROM SO AMERICA TO AFRICAN

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
0 BRAZIL 20 SEYCHELLES	-9.1	-5.5	10.0	5.1	3.8	4.8	
0 BRAZIL 105 SO AFRICA	2.4	3.0	7.1	3.7	2.4	2.6	
DOPPLER NAVSAT SOLUTION		NSNC028987					

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
23 GUAM 112 AUSTRALIA	4.6	17.6	-20.1	2.9	2.0	2.3	
22 PHILIPINES 112 AUSTRALIA	-9.1	14.1	-17.7	2.8	2.5	3.1	
DOPPLER NAVSAT SOLUTION		NSNC028987					

RELATIVE PLATE MOTIONS  
FROM PHILIPPINE TO ANTARCTIC

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
23 GUAM 19 RICARDO	7.9	5.3	-16.3	5.9	5.2	5.8	
22 PHILIPINES 19 RICARDO	-2.2	-2.2	-15.4	6.4	6.7	6.8	
DOPPLER NAVSAT SOLUTION		NSNC028987					

RELATIVE PLATE MOTIONS  
FROM PHILIPPINE TO AFRICAN

REF STA LOCATION TO STA LOCATION		RATES (CM/YR)			STANDARD ERRORS		
LONG	LAT	HEIGHT	LONG	LAT	HEIGHT		
22 GUAM 28 SEYCHELLES	1.6	-0.1	-6.2	4.3	4.1	4.5	
22 GUAM 105 SO AFRICA	6.2	7.5	-16.0	3.3	2.9	3.2	
22 PHILIPINES 105 SO AFRICA	-2.4	7.2	-11.4	3.2	2.6	3.7	
22 PHILIPINES 28 SEYCHELLES	-6.9	-0.6	-6.0	3.1	3.6	4.0	
DOPPLER NAVSAT SOLUTION		NSNC028987					

FIGURE P-5

DOPPLER NAVSAT SOLUTION

NSWC820907

**RELATIVE PLATE MOTIONS  
FROM PACIFIC TO EURASIAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
24	SAMOA	27	JAPAN	7.9	-9.6	-1.2	4.2	3.1	4.2
24	SAMOA	641	ITALY	19.6	6.8	-14.2	8.0	5.3	6.6
340	HAWAII	27	JAPAN	11.6	-3.9	-13.8	3.9	2.7	2.7
340	HAWAII	641	ITALY	25.6	8.9	-20.0	6.5	6.2	5.2
24	SAMOA	21	BELGIUM	17.7	-4.6	-14.4	3.3	2.5	3.2
340	HAWAII	21	BELGIUM	14.3	5.5	-14.5	2.7	2.1	2.3

DOPPLER NAVSAT SOLUTION NSWC820907

**RELATIVE PLATE MOTIONS  
FROM PACIFIC TO PHILIPPINE**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
24	SAMOA	22	PHILIPINES	24.1	-12.8	-.5	5.1	3.6	5.8
340	HAWAII	22	PHILIPINES	17.5	1.4	3.5	3.3	2.9	4.2
24	SAMOA	23	GUAM	6.2	-8.1	.4	3.7	2.9	3.6
340	HAWAII	23	GUAM	3.4	1.6	1.0	2.9	2.5	2.1

DOPPLER NAVSAT SOLUTION NSWC820907

**RELATIVE PLATE MOTIONS  
FROM PACIFIC TO AUSTRALIAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
24	SAMOA	112	AUSTRALIA	12.0	9.1	-20.7	3.1	2.7	2.7
340	HAWAII	112	AUSTRALIA	8.3	19.9	-18.9	2.5	2.1	2.1

DOPPLER NAVSAT SOLUTION NSWC820907

**RELATIVE PLATE MOTIONS  
FROM PACIFIC TO ANTARCTIC**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
24	SAMOA	19	MCMURDO	22.6	-6.4	-23.2	5.8	5.2	5.0
340	HAWAII	19	MCMURDO	15.6	5.0	-15.5	4.0	4.4	4.5

DOPPLER NAVSAT SOLUTION NSWC820907

**RELATIVE PLATE MOTIONS  
FROM PACIFIC TO AFRICAN**

REF STA	LOCATION	TO STA	LOCATION	RATES (CM/YR)			STANDARD ERRORS		
				LONG	LAT	HEIGHT	LONG	LAT	HEIGHT
24	SAMOA	20	SEYCHELLES	12.6	-15.7	-5.0	5.7	4.7	5.5
24	SAMOA	105	SO AFRICA	17.1	-6.1	-21.0	3.7	2.9	3.4
340	HAWAII	20	SEYCHELLES	5.3	-2.0	-4.9	4.1	3.3	4.1
340	HAWAII	105	SO AFRICA	10.7	8.2	-9.3	2.6	2.5	2.3

FIGURE F-6

DISTRIBUTION

Defense Technical Information Center  
Cameron Station  
Alexandria, VA 22314 (2)

Library of Congress  
ATTN: Gift and Exchange Division  
Washington, DC 20540 (4)

National Aeronautics and Space Administration  
Scientific and Technical Library  
Code NHS 22, Rm. BA39  
600 Independence Avenue, SW  
Washington, DC 20546 (2)

Defense Mapping Agency  
Washington, DC 20305 (3)

Defense Mapping Agency  
Hydrographic/Topographic Center  
ATTN: Mrs. Caroline Leroy  
Washington, DC 20390 (10)

Defense Mapping Agency Aerospace Center  
ATTN: Dr. Robert Ballew  
St. Louis, MO 63118 (8)

Naval Electronics Systems Command  
Navy Space Project, PME106  
Washington, DC 20360 (3)

Office of Chief of Naval Operations  
Naval Oceanography Division (NOP-952)  
Bldg. 1, U. S. Naval Observatory  
Washington, DC 20390 (2)

Office of Naval Operations  
Navy Space Systems Division (NOP-943)  
Washington, DC 20350 (2)

Naval Research Laboratory  
ATTN: Mr. Al Bartholomew  
Dr. Peter Vogt  
Washington, DC 20375 (4)

Naval Oceanographic Office  
Bay St. Louis, MS 39522 (2)

Office of Naval Research  
Physical Sciences Division  
800 N. Quincy St.  
Arlington, VA 22217 (2)

(1)

DISTRIBUTION (continued)

Air Force Geophysics Laboratory  
Hanscom Field  
Bedford, MA 01731 (2)

National Oceanic and Atmospheric Administration  
National Ocean Survey  
ATTN: Dr. John Bossler  
Dr. William Strange  
Mr. Larry Hothem  
Rockville, MD 20850 (5)

U. S. Geological Survey  
ATTN: Paul Needham  
Reston, VA 22091 (2)

National Aeronautics and Space Administration  
ATTN: ERG-2  
Washington, DC 20546 (3)

Goddard Space Flight Center  
ATTN: Dr. David Smith  
Mr. James Marsh  
Dr. Joseph Siry  
Greenbelt, MD 20771 (5)

Jet Propulsion Laboratory  
ATTN: Dr. William Melbourne  
Pasadena, CA 91103 (3)

The Ohio State University  
Dept. of Geodetic Sciences  
1958 Neil Ave.  
ATTN: Dr. Richard Rapp  
Dr. Ivan Mueller  
Dr. Urho Uotila  
Columbus, OH 43210 (3)

The University of Texas at Austin  
ATTN: Dr. Byron Tapley  
Austin, TX 78712 (3)

Applied Research Laboratory  
University of Texas  
ATTN: Dr. Arnold Tucker  
Dr. George Born  
Dr. Bob Schutz  
Austin, TX 78712 (7)

Institute for Laboratory Astrophysics  
University of Colorado  
ATTN: Dr. Peter Bender  
Boulder, CO 80309 (2)

DISTRIBUTION (continued)

U. S. Naval Observatory  
ATTN: W. L. Klepczynski  
D. D. McCarthy  
Washington, DC 20360

(2)

Department of Astronomy  
University of Texas  
ATTN: P. J. Shelus  
Austin, TX 78712

Massachusetts Institute of Technology  
ATTN: Peter Morgan  
Cambridge, MA 02139

U. S. Army Engineers  
Topographic Laboratory  
Ft. Belvoir, VA 22060

Defense Mapping School  
Ft. Belvoir, VA 22060

(3)

DMA-IAGS Cartographic School  
P.O. Drawer 934, Fort Clayton  
APO Miami, FL 34004

(5)

U. S. Navy Astronautics Group  
Point Mugu, CA 93041

(2)

Naval Space Surveillance System  
Dahlgren, VA 22448

Pacific Missile Test Center  
Point Mugu, CA 93041

Headquarters Space Division (AFSC)  
Los Angeles Air Force Station  
Box 92960 Worldway Postal Center  
Los Angeles, CA 90009

Physical Sciences Laboratory  
New Mexico State University  
Box 3 - PSL  
ATTN: Dan Martin  
Las Cruces, NM 88003

(3)

Applied Physics Laboratory  
Johns Hopkins University  
Johns Hopkins Road  
ATTN: Harold Plack  
Vincent Pisacane  
Laurel, MD 20810

(3)

(3)

DISTRIBUTION (continued)

Naval Postgraduate School  
ATTN: Prof. Chris Mooers  
Prof. Joseph VonSchwind  
CDR D. E. Puccini  
Monterey, CA 93940 (3)

Dept. of Earth & Space Science  
University of California  
ATTN: Prof. William M. Kaula  
Los Angeles, CA 93940

Seismological Laboratory  
California Institute of Technology  
ATTN: Dr. J. Bernard Minster  
Pasadena, CA 91125

Geological Research Division  
Scripps Institution of Oceanography  
ATTN: Dr. Thomas H. Jordan  
La Jolla, CA 92093

Department of Geology and Geophysics  
Woods Hole Oceanographic Institution  
ATTN: Dr. Brian E. Tucholke  
Woods Hole, MA 02543

National Geodetic Survey  
Gravity, Astronomy and Satellite Branch  
ATTN: William E. Carter  
Rockville, MD 20052

Local:

E31 (GIDEP)	
E411	
E431	(10)
F14	(4)
K05	(100)
K12	(10)
K13	(10)
K14	(5)